

A Selected Bibliography of Ecological and Land Use Studies of Raritan Bay

By Topic. (Modified 4/14/2015)

Topics (Click on links to navigate to section)

[Birds](#) | [Coastal Flooding/Sea Level Rise](#) | [Ecological Characterization](#) | [Eutrophication/Nutrients](#) | [Fish, Shellfish and Benthos](#) | [Hydrology/Hydrography](#) | [Industrial Facilities](#) | [Management](#) | [Pathogens/Microorganisms](#) | [Plankton](#) | [Pollutants](#) | [Recreation/Use](#) | [Sediment](#) | [Submerged Aquatic Vegetation](#) | [Water Quality](#)

Birds

Burger, J. (1986). The Effect of Human Activity on Shorebirds in Two Coastal Bays in Northeastern United States. *Environmental Conservation*, 13(02), 123–130. doi:10.1017/S0376892900036717

Burger, J., & Elbin, S. (2014). Contaminant levels in Herring (*Larus argentatus*) and Great Black-backed Gull (*Larus marinus*) eggs from colonies in the New York harbor complex between 2012 and 2013. *Ecotoxicology*, 1–8. doi:10.1007/s10646-014-1393-5

Burger, J., & Galli, J. (1987). Factors Affecting Distribution of Gulls (*Larus spp.*) on Two New Jersey Coastal Bays. *Environmental Conservation*, 14(01), 59–65. doi:10.1017/S0376892900011115

Burger, J., & Gochfeld, M. (1985). Comparisons of nine heavy metals in salt gland and liver of greater scaup (*Aythya marila*), black duck (*Anas rubripes*) and mallard (*A. platyrhynchos*). *Comparative Biochemistry and Physiology. C, Comparative Pharmacology and Toxicology*, 81(2), 287–292.

Burger, J., & Gochfeld, M. (1991). Cadmium and lead in common terns (Aves: *Sterna hirundo*): Relationship between levels in parents and eggs. *Environmental Monitoring and Assessment*, 16(3), 253–258. doi:10.1007/BF00397612

Burger, J., Gochfeld, M., & Leck, C. (1984). Waterbirds on Raritan Bay: a preliminary analysis of their distribution and heavy metal levels. *Bull. New Jersey Acad. Sci*, 29, 133–142.

Burger, J., Gochfeld, M., & Parsons, K. (1990). *Toxicant accumulation and effects on birds: The reproductive biology and effects of pollutants on estuarine and marine birds of the New York - New Jersey Harbor Estuary* (Final Report No. EPA No. CE002888-01-0). Retrieved from http://www.harborestuary.org/pdf/ToxAccumEffectsBirds_1990.pdf

Gochfeld, M., & Burger, J. (1982). Biological Concentration of Cadmium in Estuarine Birds of the New York Bight. *Colonial Waterbirds*, 5, 116–123. doi:10.2307/1521042

Gochfeld, M., & Burger, J. (1987). Heavy metal concentrations in the liver of three duck species: influence of species and sex. *Environmental Pollution (Barking, Essex: 1987)*, 45(1), 1–15.

- Grasman, K. A., Echols, K. R., May, T. M., Peterman, P. H., Gale, R. W., & Orazio, C. E. (2013). Immunological and reproductive health assessment in herring gulls and black-crowned night herons in the Hudson-Raritan Estuary. *Environmental Toxicology and Chemistry / SETAC*, 32(3), 548–561. doi:10.1002/etc.2089
- Squires, D. F., & Barclay, J. S. (1990). *Nearshore wildlife habitats and populations in the New York/New Jersey Harbor Estuary*. Retrieved from <http://www.harborestuary.org/pdf/NearshoreWildlife1990.pdf>
- Sullivan, K. J. (1991). *Fish and wildlife populations and habitat status and trends in the New York Bight: a report to the Habitat Work Group for the New York Bight Restoration Plan*. Rockville, Md. Retrieved from <http://www.harborestuary.org/pdf/FishWildlifePopulHabitat1991.pdf>
- U.S. Fish and Wildlife Service. (1997). Significant habitats and habitat complexes of the New York Bight watershed. Charlestown, Rhode Island: U.S. Fish and Wildlife Service, Southern New England – New York Bight Coastal Ecosystems Program.

Coastal Flooding / Sea Level Rise (SLR)

- Dobosiewicz, J. (2001). Applications of Digital Elevation Models and Geographic Information Systems to Coastal Flood Studies along the Shoreline of Raritan Bay, New Jersey. *Environmental Geosciences*, 8(1), 11–20. doi:10.1046/j.1526-0984.2001.008001011.x
- Dobosiewicz, J. F. (2003). *An assessment of spatial variability in water level observations and susceptibility to inundation from coastal storms in a developed estuary, Raritan Bay, New Jersey* (Doctoral dissertation). Rutgers University, New Brunswick
- Farrell, S. C., & Lepp, T. (1997). A decade of change in the New Jersey coastline as determined by annual beach cross sections at 100 locations from Raritan Bay to Delaware Bay. *Abstracts with Programs - Geological Society of America*, 29(1), 44–45.
- Filadelfo, R. J. (1984). *Subtidal sea level and current variability in the Hudson Raritan Estuary*. (Doctoral dissertation). SUNY, Stony Brook.

Ecological Characterization

- Bruno, A. C., Cohen, L., Green, M., Torres, L., Rocha, G., & Chamberlain, J. A. (2005). Sedimentology and faunal characteristics of Raritan Bay beaches. *Abstracts with Programs - Geological Society of America*, 37(1), 13–14.
- Levinton, J. S., Waldman, J. R. (Eds.). (2006). *The Hudson River Estuary*. Cambridge ; New York: Cambridge University Press.

New York-New Jersey Harbor & Estuary Program. (2012). *The state of the estuary 2012: environmental health and trends of the New York-New Jersey harbor estuary*. Retrieved from http://www.harborestuary.org/pdf/StateOfTheEstuary2012/SOE_ExpdRprt.pdf

Nixon, Scott W. (1983) *Estuarine Ecology: a Comparative and Experimental Analysis Using 14 Estuaries and the Merl Microcosms*. University of Rhode Island, Graduate School of Oceanography. Retrieved from <http://dx.doi.org/doi:10.7282/T3959H24>

Steinberg, N. D., Suszkowski, D. J., Clark, L., Way, J. (2004). *Health of the harbor: the first comprehensive look at the state of the NY/NJ harbor estuary : a report to the New York/New Jersey Harbor Estuary Program*. New York, NY: Hudson River Foundation.

Steinberg, N. D., Way, J., Suszkowski, D. J., & Clark, L. (2002). *Harbor health/human health: an analysis of environmental indicators for the NY/NJ harbor estuary*. New York, NY: Hudson River Foundation for Science and Environmental Research.

Swanson, R. L., Bell, T. M., Kahn, J., & Olha, J. (1991). Use Impairments and Ecosystem Impacts of the New York Bight. *Chemistry and Ecology*, 5(1-2), 99–127. doi:10.1080/02757549108035247

Eutrophication/Nutrients

Castro, M. S., & Driscoll, C. T. (2002). Atmospheric Nitrogen Deposition to Estuaries in the Mid-Atlantic and Northeastern United States. *Environmental Science & Technology*, 36(15), 3242–3249. doi:10.1021/es010664o

Driscoll, C., Whitall, D., Aber, J., Boyer, E., Castro, M., Cronan, C., ... Ollinger, S. (2003). Nitrogen pollution; sources and consequences in the U. S. Northeast. *Environment [St. Louis]*, 45(7), 8–22.

Gons, H. J., Rijkeboer, M., Bagheri, S., & Ruddick, K. G. (2000). Optical Teledetection of Chlorophyll a in Estuarine and Coastal Waters†. *Environmental Science & Technology*, 34(24), 5189–5192. doi:10.1021/es0012669

HydroQual, Inc. (2010a). *Evaluation of ammonia toxicity in the NY/NJ Harbor within the context of nitrogen and carbon TMDL planning for attainment of dissolved oxygen standards*. Prepared by HydroQual, Inc. (No. USEPA Contract EP-C-08-003). Retrieved from <http://www.harborestuary.org/reports/nutrient/HydroQual-AmmoniaToxicityReport0910.pdf>

HydroQual, Inc. (2010b). *Narrative description of historical dissolved oxygen improvements in NY/NJ Harbor related to previous nutrient reduction activities*. Prepared by HydroQual, Inc. Retrieved from <http://www.harborestuary.org/reports/nutrient/HydroQual-DOImprovements0910.pdf>

Keller, A. A., Hinga, K. R., & Oviatt, C. A. (1991). *New York - New Jersey Harbor Estuary Program module 4: nutrients and organic enrichment: final report*. Retrieved from <http://www.harborestuary.org/reports/nutrient/NutrientAndOrganicEnrichment-Keller91.pdf>

O'Shea, M. L., & Brosnan, T. M. (2000). Trends in indicators of eutrophication in Western Long Island Sound and the Hudson-Raritan Estuary. *Estuaries*, 23(6), 877–901. doi:10.2307/1353004

Fish, Shellfish and Benthos

Arslan, Z. (2005). Analysis of fish otoliths by electrothermal vaporization inductively coupled plasma mass spectrometry: aspects of precipitating otolith calcium with hydrofluoric acid for trace element determination. *Talanta*, 65(5), 1326–1334. doi:10.1016/j.talanta.2004.09.009

Ashley, J. T. F., Horwitz, R., Steinbacher, J. C., & Ruppel, B. (2003). A comparison of congeneric PCB patterns in American eels and striped bass from the Hudson and Delaware River estuaries. *Marine Pollution Bulletin*, 46(10), 1294–1308. doi:10.1016/S0025-326X(03)00235-2

Belton, T. J. (1985). *A study of dioxin (2,3,7,8-tetrachlorodibenzo-p-dioxin) contamination in select finfish, crustaceans and sediments of New Jersey waterways*. Office of Science and Research, New Jersey Dept. of Environment Protection.

Belton, T., Roundy, R., & Weinstein, N. (1986). Urban Fishermen: Managing the Risks of Toxic Exposure. *Environment: Science and Policy for Sustainable Development*, 28(9), 19–37.

Belton, T. J., Ruppel, B. E., & Lockwood, K. (1982). *PCB's (Aroclor 1254) in fish tissues throughout the state of New Jersey: a comprehensive survey*. Trenton, N.J.: New Jersey Dept. of Environmental Protection, Office of Cancer and Toxic Substances Research.

Belton, T. J., Ruppel, B. E., Lockwood, K., & Boriek, M. (1983). *PCBs in selected finfish caught within New Jersey waters, 1981-1982: with limited chlordane data*. Trenton, N.J.: Office of Science and Research, NJ Dept. of Environmental Protection.

Belton, T. J., Ruppel, B. E., Lockwood, K., & Mueller, R. T. (1988). *2, 3, 7, 8-tetrachlorodibenzo-p-dioxin (TCDD) and 2, 3, 7, 8-tetrachlorodibenzo-p-furan (TCDF) in Blue Crabs and American Lobsters from the New York Bight*. Office of Science and Research, New Jersey Department of Environment Protection. Retrieved from <https://rucore.libraries.rutgers.edu/rutgers-lib/17430/>

Berg, D. L., & Levinton, J. S. (1985). *The biology of the Hudson-Raritan estuary, with emphasis on fishes* (No. NOAA Technical Memorandum NOS OMA 16) (p. 170). National Oceanic and Atmospheric Administration. Retrieved from http://docs.lib.noaa.gov/noaa_documents/NOS/OMA/TM_NOS_OMA/nos_oma_16.pdf

Brown, R. P., Cooper, K. R., Cristini, A., Rappe, C., & Bergqvist, P.-A. (1994). Polychlorinated dibenzo-P-dioxins and dibenzofurans in *Mya arenaria* in the Newark/Raritan Bay Estuary. *Environmental Toxicology and Chemistry*, 13(3), 523–528. doi:10.1002/etc.5620130324

- Burger, J., Johnson, B. B., Shukla, S., & Gochfeld, M. (2003). Perceptions of recreational fishing boat captains: knowledge and effects of fish consumption advisories. *Risk Analysis: An Official Publication of the Society for Risk Analysis*, 23(2), 369–378.
- Cai, Z., Ramanujam, V. M., Gross, M. L., Cristini, A., & Tucker, R. K. (1994). Levels of Polychlorodibenzo-p-dioxins and Dibenzofurans in Crab Tissues from the Newark/Raritan Bay System. *Environmental Science & Technology*, 28(8), 1528–1534. doi:10.1021/es00057a023
- Celestino, M. P. (2003). *Hard clam stock assessment of Raritan and Sandy Hook Bays*. Trenton, NJ: New Jersey Department of Environmental Protection, Bureau of Shellfisheries.
- Chambers, C. R., & Green, B. S. (2008). *Population flux and habitat use by weakfish, Cynoscion regalis, associated with the Hudson River Estuary : Final report to the Hudson River Foundation*. Retrieved from http://www.hudsonriver.org/lis/reports/Chambers_001_05A_final_report.pdf
- Collier, T. K., Anulacion, B. F., & Bill, B. D. (1998). Hepatic CYP1A in winter flounder (*Pleuronectes americanus*) along the Northeast Coast: Results from the national benthic surveillance project. *Marine Pollution Bulletin*, 37(1–2), 86–91. doi:10.1016/S0025-326X(98)00134-9
- Cristini, A. (1987). An in situ study of adenylate energy charge and other biochemical parameters in the bivalve *Mya arenaria* from Raritan Bay and Long Island Sound. *Pollution Physiology of Estuarine Organisms*.
- Cristini, A. (1993) *Dioxins in tissues from crabs from the Raritan/Newark Bay Systems*. NJ Department of Environmental Protection, Division of Science and Research. Retrieved from <http://dx.doi.org/doi:10.7282/T35B024Q>
- Cristini, A. (1991?). *Synthesis of information on the distribution of benthic invertebrates in the Hudson/Raritan System: final report* (Final Report No. Grant No. 12330036-0). Retrieved from <http://www.harborestuary.org/pdf/BenthicInvtbrts-Cristini91.PDF>
- Dean, D. (1975). *Raritan Bay macrobenthos survey, 1957-1960*. US Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. Retrieved from http://water.rutgers.edu/Projects/EPA_Raritan_River_Project/08_Data/Reports/Dean%201975.pdf
- Dean, D., & Haskin, H. H. (1964). Benthic Repopulation of the Raritan River Estuary Following Pollution Abatement. *Limnology and Oceanography*, 9(4), 551–563. doi:10.4319/lo.1964.9.4.0551
- Dove, A. D. M., Bowser, P. R., & Cerrato, R. M. (2004). Histological Analysis of an Outbreak of QPX Disease in Wild Hard Clams *Mercenaria mercenaria* in New York. *Journal of Aquatic Animal Health*, 16(4), 246–250. doi:10.1577/H03-052.1
- Engel, D. W., Brouwer, M., & Mercaldo-Allen, R. (2001). Effects of molting and environmental factors on trace metal body-burdens and hemocyanin concentrations in the American lobster, *Homarus americanus*. *Marine Environmental Research*, 52(3), 257–269. doi:10.1016/S0141-1136(01)00098-8

Esser, S. C. (1982). Long-term changes in some finfishes of the Hudson-Raritan Estuary. *Ecological Stress and the New York Bight: Science and Management*. Estuarine Research Federation, Columbia, South Carolina, 715, 299–314.

Farley, C. A. (1988). Histochemistry as a tool for examining possible pathologic cause-and-effect relationships between heavy metal and inflammatory lesions in oysters, *Crassostrea virginica*. *Marine Environmental Research*, 24(1–4), 271–275. doi:10.1016/0141-1136(88)90319-4

Figley, W., New Jersey, New Jersey, & New Jersey. (1988). *New Jersey's recreational and commercial fishing grounds of Raritan Bay, Sandy Hook Bay and Delaware Bay*. Trenton, NJ: New Jersey Dept. of Environmental Protection, Division of Fish, Game and Wildlife, Marine Fisheries Administration, Bureau of Marine Fisheries [and] Bureau of Shellfisheries.

Fitzgerald, A. M. (2013). *Examining the relationship between metal exposure (Cd and Hg) and physiology of juvenile Crassostrea virginica: Comparisons of in-situ studies within the Hudson-Raritan Estuary and laboratory exposures : Final Report to the Hudson River Foundation*. Retrieved from http://www.hudsonriver.org/lis/reports/Mass_GF02_11_final_report.pdf

Franz, D. R. (1982). An historical perspective on mollusks in Lower New York Harbor, with emphasis on oysters. *Ecological Stress and the New York Bight: Science and Management*. Columbia SC: Estuarine Research Federation, 181–197.

Haskin, H. H., & New Jersey Agricultural Experiment Station. (1962). *The hard clam population of Raritan Bay: survey of April 9-13, 1962*. New Brunswick, N.J.: New Jersey Agricultural Experiment Station, Rutgers University.

Hauge, P. M., Belton, T. J., Ruppel, B. E., Lockwood, K., & Mueller, R. T. (1994). 2,3,7,8-TCDD and 2,3,7,8-TCDF in blue crabs and American lobsters from the Hudson-Raritan estuary and the New York Bight. *Bulletin of Environmental Contamination and Toxicology*, 52(5), 734–741.

Hoellein, T., Zarnoch, C., Branco, B., Bruesewitz, D., & Gardner, W. (2013). *The influence of oyster restoration on nitrogen cycling in the Hudson-Raritan estuary: Final report to the Hudson River Foundation*. Retrieved from http://www.hudsonriver.org/lis/reports/Hoellein_005_11A_final_report.pdf

Johnson, L. L., Stehr, C. M., Olson, O. P., Myers, M. S., Pierce, S. M., Wigren, C. A., Varanasi, U. (1993). Chemical contaminants and hepatic lesions in winter flounder (*Pleuronectes americanus*) from the northeast coast of the United States. *Environmental Science & Technology*, 27(13), 2759–2771. doi:10.1021/es00049a015

Kehr, R. W. (1954). *A report on the public health aspects of clamping in Raritan Bay*. Washington, D.C.: Division of Sanitary Engineering Services, Public Health Service, Department of Health, Education, and Welfare.

Kennish, M. J., & Ruppel, B. E. (1996). DDT contamination in selected estuarine and coastal marine finfish and shellfish of New Jersey. *Archives of Environmental Contamination and Toxicology*, 31(2), 256–262.

Lauenstein, G. G., & Kimbrough, K. L. (2007). Chemical contamination of the Hudson-Raritan Estuary as a result of the attack on the World Trade Center: analysis of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in mussels and sediment. *Marine Pollution Bulletin*, 54(3), 284–294. doi:10.1016/j.marpolbul.2006.10.006

MacKenzie, C. L. (1992). *The fisheries of Raritan Bay*. New Brunswick, N.J: Rutgers University Press.

Mackenzie, C. L., Pikanowski, R., & Mcmillan, D. G. (2006). Ampelisca amphipod tube mats may enhance abundance of northern quahogs *Mercenaria mercenaria* in muddy sediments. *Journal of Shellfish Research*, 25(3), 841–847. doi:10.2983/0730-8000(2006)25[841:AATMME]2.0.CO;2

Mackenzie, C. L., & Stehlík, L. L. (1988). Past and present distributions of soft clams and eelgrass in Raritan Bay. *Bull. NJ Acad. Sci.*, 33(2), 6162.

MacKenzie, J. (1990). History of the Fisheries of Raritan Bay, New York and New Jersey. *Marine Fisheries Review*, 52(4), 1–45.

MacKenzie Jr, C. L. (1997). The US molluscan fisheries from Massachusetts Bay through Raritan Bay, NY and NJ. In C.L. MacKenzie, Jr., V. G. Burrell, Jr., A. R. Rosenfield, W. L. Hobart (Eds.), *The History, Present Condition, and Future of the Molluscan Fisheries of North and Central America and Europe*, 1, 87–118. NOAA Technical Report NMFS 127

Mahoney, J. B., Midlige, F. H., & Deuel, D. G. (1973). A Fin Rot Disease of Marine and Euryhaline Fishes in the New York Bight. *Transactions of the American Fisheries Society*, 102(3), 596–605. doi:10.1577/1548-8659(1973)102<596:AFRDOM>2.0.CO;2

May, H., & Burger, J. (1996). Fishing in a polluted estuary: fishing behavior, fish consumption, and potential risk. *Risk Analysis: An Official Publication of the Society for Risk Analysis*, 16(4), 459–471.

McDonough, K. B. (1976). *A benthic index of environmental quality for the New York Bight Apex and Raritan Bay* (Masters thesis). State University of New York at Stony Brook.

Meador, J. P., Adams, N. G., Casillas, E., & Bolton, J. L. (1997). Comparative bioaccumulation of chlorinated hydrocarbons from sediment by two infaunal invertebrates. *Archives of Environmental Contamination and Toxicology*, 33(4), 388–400.

Meyers, T. R. (1978). Prevalence of fish parasitism in Raritan Bay, New Jersey. *Proceedings of the Helminthological Society of Washington*, 45(1), 120–128.

Meyers, T. R., Sawyer, T. K., & MacLean, S. A. (1977). Henneguya sp. (Cnidospora: Myxosporida) parasitic in the heart of the bluefish, Pomatomus saltatrix. *The Journal of Parasitology*, 63(5), 890–896.

Ofiara, D. D., & Brown, B. (1999). Assessment of Economic Losses to Recreational Activities from 1988 Marine Pollution Events and Assessment of Economic Losses from Long-Term Contamination of Fish within the New York Bight to New Jersey. *Marine Pollution Bulletin*, 38(11), 990–1004. doi:10.1016/S0025-326X(99)00123-X

Poster, D. L., Schantz, M. M., Kucklick, J. R., Lopez de Alda, M. J., Porter, B. J., Pugh, R., & Wise, S. A. (2004). Three new mussel tissue standard reference materials (SRMs) for the determination of organic contaminants. *Analytical and Bioanalytical Chemistry*, 378(5), 1213–1231.
doi:10.1007/s00216-003-2401-4

Prince, R., & Cooper, K. R. (1995). Comparisons of the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on chemically impacted and nonimpacted subpopulations of Fundulus heteroclitus: I. TCDD toxicity. *Environmental Toxicology and Chemistry*, 14(4), 579–587. doi:10.1002/etc.5620140405

Ravit, B., Comi, M., Mans, D., Lynn, C., Steimle, F., Walsh, S., ... Quierolo, S. (2012). Eastern Oysters (*Crassostrea virginica*) in the Hudson-Raritan Estuary: Restoration Research and Shellfishery Policy. *Environmental Practice*, 14(02), 110–129. <http://doi.org/10.1017/S1466046612000063>

Ravit, B., Cooper, K., Buckley, B., Comi, M., & McCandlish, E. (2014). Improving management support tools for reintroducing bivalve species (eastern oyster [*Crassostrea virginica* Gmelin]) in urban estuaries. *Integrated Environmental Assessment and Management*, 10(4), 555–565.
<http://doi.org/10.1002/ieam.1553>

Rice, C. A., Plesha, P. D., Casillas, E., Misitano, D. A., & Meador, J. P. (1995). Growth and survival of three marine invertebrate species in sediments from the Hudson-Raritan Estuary, New York. *Environmental Toxicology and Chemistry*, 14(11), 1931–1940. doi:10.1002/etc.5620141115

Ropes, J. (1987). Age and Growth, Reproductive-Cycle, and Histochemical Tests for Heavy-Metals in Hard Clams, *Mercenaria-Mercenaria*, from Raritan Bay, 1974-75. *Fishery Bulletin*, 85(3), 653–662.

Sericano, J. L., Wade, T. L., Sweet, S. T., Ramirez, J., & Lauenstein, G. G. (2014). Temporal trends and spatial distribution of DDT in bivalves from the coastal marine environments of the continental United States, 1986-2009. *Marine Pollution Bulletin*, 81(2), 303–316.
doi:10.1016/j.marpolbul.2013.12.049

Sindermann, C. J. & Northeast Fisheries Center (U.S.). (Eds.). (1989). *Shell disease of crustaceans in the New York Bight*. Woods Hole, Mass.: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Center.

Spalding, V. L., & Jackson, N. L. (2001). Field Investigation of the Influence of Bulkheads on Meiofaunal Abundance in the Foreshore of an Estuarine Sand Beach. *Journal of Coastal Research*, 17(2), 363–370.

Squires, D. F., & Barclay, J. S. (1990). *Nearshore wildlife habitats and populations in the New York/New Jersey Harbor Estuary*. Retrieved from <http://www.harborestuary.org/pdf/NearshoreWildlife1990.pdf>

Stainken, D., & Rollwagen, J. (1979). PCB residues in bivalves and sediments of Raritan Bay. *Bulletin of Environmental Contamination and Toxicology*, 23(4-5), 690–697.

Stainken, D. M. (1984). Organic pollution and the macrobenthos of Raritan Bay. *Environmental Toxicology and Chemistry*, 3(1), 95–111. doi:10.1002/etc.5620030112

Steimle, F. W., & Caracciolo-Ward, J. (1989). A reassessment of the status of the benthic macrofauna of the Raritan estuary. *Estuaries*, 12(3), 145–156. doi:10.2307/1351819

Stone, S. L., Lowery, T. A., Field, J. D., et al. (1994). *Distribution and abundance of fishes and invertebrates in Mid-Atlantic estuaries*. (ELMR Report Number 12). Silver Spring, MD: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service.

Straub, P. F., Higham, M. L., Tanguy, A., Landau, B. J., Phoel, W. C., Hales, L. S., & Thwing, T. K. M. (2004). Suppression subtractive hybridization cDNA libraries to identify differentially expressed genes from contrasting fish habitats. *Marine Biotechnology (New York, N.Y.)*, 6(4), 386–399. doi:10.1007/s10126-004-3146-6

Sullivan, K. J. (1991). *Fish and wildlife populations and habitat status and trends in the New York Bight: a report to the Habitat Work Group for the New York Bight Restoration Plan*. Rockville, Md. Retrieved from <http://www.harborestuary.org/pdf/FishWildlifePopulHabitat1991.pdf>

U.S. Fish and Wildlife Service. (1997). Significant habitats and habitat complexes of the New York Bight watershed. Charlestown, Rhode Island: U.S. Fish and Wildlife Service, Southern New England – New York Bight Coastal Ecosystems Program.

Weis, P., Weis, J. S., & Greenberg, A. (1989). Treated municipal wastewaters: Effects on development and growth of fishes. *Marine Environmental Research*, 28(1–4), 527–532. doi:10.1016/0141-1136(89)90296-1

Wilk, S. J., MacHaffie, E. M., McMillan, D. G., Pacheco, A. J., Pikanowski, R. A., & Stehlík, L. L. (1996). Fish, megainvertebrates, and associated hydrographic observations collected in the Hudson-Raritan Estuary, January 1992–December 1993. *US Natl. Mar. Fish. Serv., Northeast Fish. Sci. Cent. Ref. Doc*, 96–14.

Woodhead, P. M. J. (1991). *Inventory and assessment of habitat and fish resources and assessment of information on toxic effects in the New York-New Jersey Harbor estuary: a report to the New York-New Jersey Harbor Estuary Program concerning work in Tasks 3.2, 5.1 and 5.3*. Stony Brook: Marine Sciences Research Center, State University of New York.

Zdanowicz, V., Gadbois, D., & Newman, M. (1986). Levels of Organic and Inorganic Contaminants in Sediments and Fish Tissues and Prevalences of Pathological Disorders in Winter Flounder from Estuaries of the Northeast United States, 1984. In *OCEANS '86* (pp. 578–585). doi:10.1109/OCEANS.1986.1160445

Hydrology and Hydrography

- Ashley, G. M., Halsey, S. D., & Buteux, C. B. (1986). New Jersey's Longshore Current Pattern. *Journal of Coastal Research*, 2(4), 453–463.
- Ayers, J. C., Ketchum, B. H., & Redfield, A. C. (1949). Hydrographic considerations relative to the location of sewer outfalls in Raritan Bay. *Woods Hole Oceanogr. Inst. Report*, 49–13.
- Bagheri, S., Stein, M., & Dios, R. (1998). Utility of hyperspectral data for bathymetric mapping in a turbid estuary. *International Journal of Remote Sensing*, 19(6), 1179–1188.
doi:10.1080/014311698215676
- Bruno, M. S., Glenn, S., Chant, R., Rankin, K., Korfiatis, G., Dimou, N., ... Hunter, E. (2002). Field observations of hydrodynamics, sediment transport, and water and sediment quality in the Hudson-Raritan Estuary. *Eos, Transactions, American Geophysical Union*, 83(47, Suppl.), F781–F781.
- Choi, B.-J., & Wilkin, J. L. (2007). The Effect of Wind on the Dispersal of the Hudson River Plume. *Journal of Physical Oceanography*, 37(7), 1878–1897. doi:10.1175/JPO3081.1
- Declercq, E. P. (1986, January 1). *Hydrogeologic investigation of the Raritan Bay area, Middlesex-Monmouth counties, New Jersey*. United States.
- Dike, P. A. (1976). The coastal plain of New Jersey (p. A.1–a.9). United States: Glassboro State Coll. : Glassboro, NJ, United States.
- Dobosiewicz, J. (2001). Applications of Digital Elevation Models and Geographic Information Systems to Coastal Flood Studies along the Shoreline of Raritan Bay, New Jersey. *Environmental Geosciences*, 8(1), 11–20. doi:10.1046/j.1526-0984.2001.008001011.x
- Dobosiewicz, J. F. (2003). *An assessment of spatial variability in water level observations and susceptibility to inundation from coastal storms in a developed estuary, Raritan Bay, New Jersey* (Doctoral dissertation). Rutgers University, New Brunswick
- Duedall, I. W., O'Connors, H. B., Wilson, R. E., Parker, J. H. (1979). *The Lower Bay complex*. MESA New York Bight Atlas Monograph 29. Albany: New York Sea Grant Institute.
- Farrell, S. C., & Lepp, T. (1997). A decade of change in the New Jersey coastline as determined by annual beach cross sections at 100 locations from Raritan Bay to Delaware Bay. *Abstracts with Programs - Geological Society of America*, 29(1), 44–45.
- Fedosh, M., & Munday, J., J. (1982). Satellite Analysis of Estuarine Plume Behavior. In *OCEANS 82* (pp. 464–469). doi:10.1109/OCEANS.1982.1151777

Filadelfo, R. J. (1984). *Subtidal sea level and current variability in the Hudson Raritan Estuary*. (Doctoral dissertation). SUNY, Stony Brook.

Gaswirth, S. B., Ashley, G. M., & Sheridan, R. E. (1999). High-resolution seismic and vibracore study of Raritan Bay, N.J., Quaternary stratigraphy; evidence for the last glacial maximum. *Abstracts with Programs - Geological Society of America*, 31(2), 17–17.

Gaswirth, S. B., Ashley, G. M., & Sheridan, R. E. (2002). Use of Seismic Stratigraphy to Identify Conduits for Saltwater Intrusion in the Vicinity of Raritan Bay, New Jersey. *Environmental & Engineering Geoscience*, 8(3), 209–218. doi:10.2113/8.3.209

Gronberg, J. A., Pucci Jr, A. A., & Birkelo, B. A. (1991). *Hydrogeologic framework of the Potomac-Raritan-Magothy aquifer system, northern Coastal Plain of New Jersey*. United States Geological Survey. Retrieved from <http://pubs.er.usgs.gov/pubs/wri904016>

Gross, M. G. (1976). *Middle Atlantic Continental Shelf and the New York Bight: Proceedings of the Symposium, American Museum of Natural History, New York City, 3, 4, and 5 November, 1975*. American Society of Limnology and Oceanography.

Hill, J. C., Thieler, E. R., Nichols, D. R., & Williams, G. F. (2001). *Archive boomer subbottom data collected during USGS cruise FERL 98009, New York Bight, Raritan Bay, Long Island, 26 May-2 June, 1998* (No. 01961497). United States: U. S. Geological Survey : Reston, VA, United States.

Hires, R. I. (1990). *Outfall siting study in northern New Jersey coastal waters*. New Jersey. Division of Water Resources. Hoboken, N.J: Dept. of Civil, Environmental & Coastal Engineering, Stevens Institute of Technology.

HydroQual, Inc. (2007a). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Appendices*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/Appendices.pdf

HydroQual, Inc. (2007b). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Contaminant Fate & Transport & Bioaccumulation Sub-models*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/CFTB.pdf

HydroQual, Inc. (2007c). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Hydrodynamic Sub-model*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/Hydrodynamics.pdf

HydroQual, Inc. (2007d). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Sediment Transport/Organic Carbon Production Sub-model*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/SED_TRANSPORT.pdf

Jackson, N. L., & Nordstrom, K. F. (1992). Site Specific Controls on Wind and Wave Processes and Beach Mobility on Estuarine Beaches in New Jersey, U.S.A. *Journal of Coastal Research*, 8(1), 88–98.

Jackson, N. L., & Nordstrom, K. F. (1994). The mobility of beach fill in front of a seawall on an estuarine shoreline, Cliffwood Beach, New Jersey, USA. *Ocean & Coastal Management*, 23(2), 149–166.

Ketchum, B. H., & Rawn, A. M. (1951). The Flushing of Tidal Estuaries [with Discussion]. *Sewage and Industrial Wastes*, 23(2), 198–209.

Klein, E. A., & McHugh, C. (2009). Late Pleistocene to Holocene sedimentation of a coastal system; Raritan and Sandy Hook Bays, New Jersey. *Abstracts with Programs - Geological Society of America*, 41(3), 40–40.

Lacombe, P. J. (2000). Water levels, saltwater intrusion, and water management in the confined aquifers of the New Jersey coastal plain. *Abstracts with Programs - Geological Society of America*, 32(1), 28–28.

Levinton, J. S., Waldman, J. R. (Eds.). (2006). *The Hudson River Estuary*. Cambridge ; New York: Cambridge University Press.

Meade, R. H. (1969). Landward Transport of Bottom Sediments in Estuaries of the Atlantic Coastal Plain. *Journal of Sedimentary Research*, 39(1). Retrieved from <http://archives.datapages.com/data/sepm/journals/v38-41/data/039001/0222.htm>

Motta, C. J. (1983). *Sedimentology and hydrology of the Raritan Estuary, New Jersey: final report*. Trenton, N.J: Office of Cancer and Toxic Substances Research, Dept. of Environmental Protection.

Oey, L.-Y., Mellor, G. L., & Hires, R. I. (1985a). A Three-Dimensional Simulation of the Hudson–Raritan Estuary. Part I: Description of the Model and Model Simulations. *Journal of Physical Oceanography*, 15(12), 1676–1692. doi:10.1175/1520-0485(1985)015<1676:ATDSOT>2.0.CO;2

Oey, L.-Y., Mellor, G. L., & Hires, R. I. (1985b). A Three-Dimensional Simulation of the Hudson–Raritan Estuary. Part II: Comparison with Observation. *Journal of Physical Oceanography*, 15(12), 1693–1709. doi:10.1175/1520-0485(1985)015<1693:ATDSOT>2.0.CO;2

Oey, L.-Y., Mellor, G. L., & Hires, R. I. (1985c). A Three-Dimensional Simulation of the Hudson–Raritan Estuary. Part III: Salt Flux Analyses. *Journal of Physical Oceanography*, 15(12), 1711–1720. doi:10.1175/1520-0485(1985)015<1711:ATDSOT>2.0.CO;2

Pucci, A. A., Jr. (1985). Summary of studies on the hydrogeology of saltwater intrusion in the Potomac-Raritan-Magothy aquifer system, central New Jersey; 1926-85 (pp. 1–18). United States: Geol. Assoc. N. J. : Pomona, NJ, United States.

Pucci, A. A., Jr., & Pope, D. A. (1989). Hydrology of the Potomac-Raritan-Magothy aquifer system in the northern coastal plain of New Jersey. *Abstracts with Programs - Geological Society of America*, 21(2), 59–59.

Renwick, W. H., & Ashley, G. M. (1984). Sources, storages, and sinks of fine-grained sediments in a fluvial-estuarine system. *Geological Society of America Bulletin*, 95(11), 1343–1348. doi:10.1130/0016-7606(1984)95<1343:SSASOF>2.0.CO;2

Spalding, V. L., & Jackson, N. L. (2001). Field Investigation of the Influence of Bulkheads on Meiofaunal Abundance in the Foreshore of an Estuarine Sand Beach. *Journal of Coastal Research*, 17(2), 363–370.

Thornton, L., & Jackson, N. L. (1998). Spatial and temporal variations in the debris accumulation and composition on an estuarine shoreline, Cliffwood Beach, New Jersey, USA. *Marine Pollution Bulletin*, 36(9), 705–711.

U.S. Coast and Geodetic Survey. (1896). *Raritan River, from Raritan Bay to New Brunswick, New Jersey*. Washington, D.C.: The Survey.

Wilk, S. J., MacHaffie, E. M., McMillan, D. G., Pacheco, A. J., Pikanowski, R. A., & Stehlík, L. L. (1996). Fish, megainvertebrates, and associated hydrographic observations collected in the Hudson-Raritan Estuary, January 1992-December 1993. *US Natl. Mar. Fish. Serv., Northeast Fish. Sci. Cent. Ref. Doc*, 96–14.

Industrial Facilities

Burger, J., Gochfeld, M., Jeitner, C., Donio, M., & Pittfield, T. (2012). Lead (Pb) in biota and perceptions of Pb exposure at a recently designated Superfund beach site in New Jersey. *Journal of Toxicology and Environmental Health. Part A*, 75(5), 272–287. doi:10.1080/15287394.2012.652058

Metcalf & Eddy. (1951). *Summary report to the Middlesex County Sewerage Authority upon abatement of water pollution in the Raritan River, its tributaries, and Raritan Bay*. New Brunswick, N.J.: Middlesex County Sewerage Authority.

Rogers, Golden & Harpenn. (1980) *Development Potential Study, Energy Facilities (Proposal)*. Retrieved from <http://dx.doi.org/doi:10.7282/T3J38SCK>

Studholme, A. L., O'Reilly, J. E., Ingham, M. C. (Eds.). (1995). *Effects of the cessation of sewage sludge dumping at the 12-mile site: proceedings of the 12-Mile Dumpsite Symposium, Ocean Place*

Hilton Hotel, Long Branch, New Jersey 18-19 June 1991. (NOAA Technical Report NMFS 124). U.S. Department of Commerce.

U.S. Congress. Office of Technology Assessment. (1976) *Coastal Effects of Offshore Energy Systems: An Assessment of Oil and Gas Systems, Deepwater Ports, and Nuclear Powerplants off the Coast of New Jersey and Delaware.* Retrieved from <http://dx.doi.org/doi:10.7282/T3DZ07T4>

U.S. Environmental Protection Agency (1973). *Environmental Impact Statement on Wastewater Treatment Facilities Construction Grants for the Lower Raritan River Basin and for the South Shore of Raritan Bay: Final, June 1973.* New York, New York: Environmental Protection Agency, Region II.

Management

American Littoral Society, New Jersey Marine Sciences Consortium, Sandy Hook Laboratory, & Walford Memorial Convocation. (1984). *Raritan Bay, its multiple uses and abuses: proceedings of the Walford Memorial Convocation.* (A. L. Pacheco, Ed.). Sandy Hook, N.J: Sandy Hook Laboratory.

Bain, M. B. (2007). *Target ecosystem characteristics for the Hudson Raritan Estuary technical guidance for developing a comprehensive ecosystem restoration plan.* Retrieved from <http://www.harborestuary.org/reports/TECReport07.pdf>

Bain, M., Suszkowski, D., Lodge, J., & Xu, L. (2006). *Setting Targets for Restoration of the Hudson-Raritan Estuary : Report of an Interdisciplinary Workshop.* New York, N.Y.: Hudson River Foundation. Retrieved from http://www.hudsonriver.org/lis/reports/Bain_002_01A_final_report.pdf

Belton, T., Roundy, R., & Weinstein, N. (1986). Urban Fishermen: Managing the Risks of Toxic Exposure. *Environment: Science and Policy for Sustainable Development*, 28(9), 19–37.

Boehme, S. E., Panero, M. A., New York Academy of Sciences., & New York/New Jersey Harbor Consortium. (2003). *Pollution prevention and management strategies for cadmium in the New York/New Jersey Harbor.* New York, N.Y.: New York Academy of Sciences.

Bricke, K., Thomann, R. V., & Manhattan College. (1991). *Cleaning up our coastal waters: an unfinished agenda : a regional conference co-sponsored by Manhattan College [and others] : March 12-14, 1990, Riverdale, New York.* [Washington, D.C.]: U.S. G.P.O.

Burger, J., Johnson, B. B., Shukla, S., & Gochfeld, M. (2003). Perceptions of recreational fishing boat captains: knowledge and effects of fish consumption advisories. *Risk Analysis: An Official Publication of the Society for Risk Analysis*, 23(2), 369–378.

Cerreño, A. L. C. de., Panero, M., Boehme, S., New York Academy of Sciences., & Harbor Consortium. (2002). *Pollution prevention and management strategies for mercury in the New York/New Jersey Harbor.* New York, N.Y.: New York Academy of Sciences.

Elson T. Killam Associates, Inc. (1974) Addendum No. 3: *Wastewater Management Plan for Western Monmouth Authority AND Supplemental Report to Addendum no. 3*. Retrieved from <http://dx.doi.org/doi:10.7282/T39W0FDM>

Elson T. Killam Associates, & Monmouth County Sewerage Advisory Committee. (1968). *Report upon alternative methods of disposal of treated effluent from the Bayshore communities of Monmouth County*. Millburn, N.J.: Elson T. Killiam Associates.

Gastrich, M. D., New York/New Jersey Harbor Estuary Program, & New Jersey. (1995). *NY-NJ Harbor estuary/New York Bight program: comprehensive conservation and management plan supporting document: pathogen contamination: final report, February 15, 1995*. New Jersey? New York-New Jersey Harbor Estuary Program.

Goldberg, R., Studholme, A., Calabrese, A., & Able, K. (1993). Functional Significance of Estuaries in the Northeast: A Proposed Case Study Comparing Habitat Utilization and Quality. *COASTAL ZONE '93*. Proceedings, 8th Symposium on Coastal and Ocean Management, New Orleans, Louisiana. Retrieved from <http://dx.doi.org/doi:10.7282/T37080XD>

Grebe, H. (2014). *The New York Bight Floatables Action Plan Assessment Report 2013*. (EPA-902R14002). Edison, New Jersey: United States Environmental Protection Agency, Region 2, Division of Environmental Science and Assessment.

Hires, R. I. (1990). *Outfall siting study in northern New Jersey coastal waters*. New Jersey. Division of Water Resources. Hoboken, N.J: Dept. of Civil, Environmental & Coastal Engineering, Stevens Institute of Technology.

Kunert, K. (2005). A GIS Approach to Habitat Restoration Site Selection and Prioritization in the New York-New Jersey Harbor Estuary. Retrieved from <http://dukespace.lib.duke.edu/dspace/handle/10161/231>

Metcalf & Eddy. (1951). *Summary report to the Middlesex County Sewerage Authority upon abatement of water pollution in the Raritan River, its tributaries, and Raritan Bay*. New Brunswick, N.J.: Middlesex County Sewerage Authority.

Monmouth County Planning Board, & Trust for Public Land (U.S.). (1987). Bayshore waterfront access plan: an element of the Monmouth County growth management guide. Freehold, N.J.: Monmouth County Planning Board. Retrieved from <http://www.co.monmouth.nj.us/documents/24%5CBayshoreWaterfrontAccessPlan.pdf>

Monmouth Museum (Lincroft, N.J.). (1989). *Bayshore, rediscovering its future*. Lincroft, NJ: The Museum.

Muñoz, G. R., Panero, M. A. (2006). *Pollution prevention and management strategies for Dioxins in the New York/New Jersey Harbor*. New York, N.Y.: New York Academy of Sciences.

National Oceanic and Atmospheric Administration, Estuarine Programs Office. (1988). *Hudson/Raritan estuary issues, resources, status, and management: proceedings of a seminar held February 17, 1987, Washington, D.C.* Washington, D.C: The Office.

New York Academy of Sciences Harbor Consortium. (2008). *Safe Harbor: bringing people and science together to improve the New York/New Jersey Harbor : collaborative problem solving using an industrial ecology approach*. New York, N.Y.: New York Academy of Sciences.

New York/New Jersey Harbor Estuary Program. (1996a). *New York-New Jersey Harbor Estuary Program, including the Bight restoration plan: final comprehensive conservation and management plan*. New York, N.Y: The Program. Retrieved from <http://www.harborestuary.org/pdf/ccmpintro.pdf>

New York/New Jersey Harbor Estuary Program. (2008). *Regional Sediment Management Plan*. Retrieved from http://www.harborestuary.org/reports/Reg_Sed_Mgmt_Plan0908.pdf

New York-New Jersey Harbor & Estuary Program. (2012). *The state of the estuary 2012: environmental health and trends of the New York-New Jersey harbor estuary*. Retrieved from http://www.harborestuary.org/pdf/StateOfTheEstuary2012/SOE_ExpdRprt.pdf

Ofiara, D. D. (2015). The New York Bight 25 years later: Use impairments and policy challenges. *Marine Pollution Bulletin*, 90(1–2), 281–298. doi:10.1016/j.marpolbul.2014.10.010

Ofiara, D. D., & Brown, B. (1999). Assessment of Economic Losses to Recreational Activities from 1988 Marine Pollution Events and Assessment of Economic Losses from Long-Term Contamination of Fish within the New York Bight to New Jersey. *Marine Pollution Bulletin*, 38(11), 990–1004. doi:10.1016/S0025-326X(99)00123-X

Panero, M., Boehme, S., Muñoz, G., New York Academy of Sciences, & Harbor Consortium. (2005). *Pollution prevention and management strategies for polychlorinated biphenyls in the New York/New Jersey harbor*. New York, N.Y.: New York Academy of Sciences.

Ravit, B., Comi, M., Mans, D., Lynn, C., Steimle, F., Walsh, S., ... Quierolo, S. (2012). Eastern Oysters (*Crassostrea virginica*) in the Hudson-Raritan Estuary: Restoration Research and Shellfishery Policy. *Environmental Practice*, 14(02), 110–129. <http://doi.org/10.1017/S1466046612000063>

Ravit, B., Cooper, K., Buckley, B., Comi, M., & McCandlish, E. (2014). Improving management support tools for reintroducing bivalve species (eastern oyster [*Crassostrea virginica* Gmelin]) in urban estuaries. *Integrated Environmental Assessment and Management*, 10(4), 555–565. <http://doi.org/10.1002/ieam.1553>

Ravit, B., & Weis, J. S. (2014). Clean Water Act Section 404 and Coastal Marsh Sustainability. *Coastal Management*, 42(5), 464–477. <http://doi.org/10.1080/08920753.2014.942027>

Schoor Engineering, Inc. (1973) *Wastewater Management Plan for Western Monmouth Authority*. Retrieved from <http://dx.doi.org/doi:10.7282/T3N58M8S>

Schoor Engineering, Inc. (1974) Addendum 1: *Wastewater Management Plan for Western Monmouth Authority AND Addendum A: Project Report for Western Monmouth Utilities Authority*. Retrieved from <http://dx.doi.org/doi:10.7282/T32B8XXG>

Schoor Engineering, Inc. (1974) Addendum 2: *Environmental Assessment Wastewater Management Plan for Western Monmouth Authority*. Retrieved from <http://dx.doi.org/doi:10.7282/T3639PN6>

Steinberg, N. D., Way, J., Suszkowski, D. J., & Clark, L. (2002). *Harbor health/human health: an analysis of environmental indicators for the NY/NJ harbor estuary*. New York, NY: Hudson River Foundation for Science and Environmental Research.

Studholme, A. L., O'Reilly, J. E., Ingham, M. C. (Eds.). (1995). *Effects of the cessation of sewage sludge dumping at the 12-mile site: proceedings of the 12-Mile Dumpsite Symposium, Ocean Place Hilton Hotel, Long Branch, New Jersey 18-19 June 1991*. (NOAA Technical Report NMFS 124). U.S. Department of Commerce.

T & M Associates. (1985). Borough of Union Beach Waterfront Plan. Retrieved from <http://dx.doi.org/doi:10.7282/T3Z60P04>

U.S. Army Corps of Engineers, Port Authority of New York & New Jersey. (2009). *Hudson-Raritan Estuary Comprehensive Restoration Plan: Volume II: Draft*.

U.S. Army Corps of Engineers, Port Authority of New York & New Jersey. (2014). *Hudson-Raritan Estuary Comprehensive Restoration Plan: executive summary: Draft*. Retrieved from http://www.nan.usace.army.mil/Portals/37/docs/harbor/CRP%20Planning%20Regions/Exec_Sum_2014_Aug.pdf

U.S. Army Corps of Engineers, Port Authority of New York & New Jersey. (2014). *Hudson-Raritan Estuary Comprehensive Restoration Plan: Volume I: Draft*.

U.S. Environmental Protection Agency (1973). *Environmental Impact Statement on Wastewater Treatment Facilities Construction Grants for the Lower Raritan River Basin and for the South Shore of Raritan Bay: Final, June 1973*. New York, New York: Environmental Protection Agency, Region II.

U.S. Office of Marine Pollution Assessment. (1980). *Hudson-Raritan Estuary Project: technical development plan, fiscal year 1981*. Boulder, Colorado: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, Office of Marine Pollution Assessment.

Valle, S., Panero, M. A., Shor, L. (2007). *Pollution prevention and management strategies for polycyclic aromatic hydrocarbons in the New York/New Jersey Harbor*. New York, N.Y.: New York Academy of Sciences.

Wakeman, T. (2002). Dredged material and contaminated sediments management in the Port of New York and New Jersey (pp. 221–228). United States: Battelle Press : Columbus, OH, United States.

Pathogens/Microorganisms

Atlas, R. M., & Bartha, R. (1973). Abundance, distribution and oil biodegradation potential of micro-organisms in Raritan Bay. *Environmental Pollution* (1970), 4(4), 291–300. doi:10.1016/0013-9327(73)90096-7

Brezenksi, F. T., & Russomanno, R. (1969). The Detection and Use of Salmonellae in Studying Polluted Tidal Estuaries. *Journal (Water Pollution Control Federation)*, 41(5), 725–737.

Brosnan, T. M., & O'Shea, M. L. (1996). Sewage Abatement and Coliform Bacteria Trends in the Lower Hudson-Raritan Estuary since Passage of the Clean Water Act. *Water Environment Research*, 68(1), 25–35.

Dove, A. D. M., Bowser, P. R., & Cerrato, R. M. (2004). Histological Analysis of an Outbreak of QPX Disease in Wild Hard Clams *Mercenaria mercenaria* in New York. *Journal of Aquatic Animal Health*, 16(4), 246–250. doi:10.1577/H03-052.1

Gastrich, M. D., New York/New Jersey Harbor Estuary Program, & New Jersey. (1995). *NY-NJ Harbor estuary/New York Bight program: comprehensive conservation and management plan supporting document: pathogen contamination: final report, February 15, 1995*. New Jersey? New York-New Jersey Harbor Estuary Program.

Litchfield, C. D., Nakas, J. P., & Vreeland, R. H. (1976). Bacterial flux in some New Jersey estuarine sediments. *Special Symposia - American Society of Limnology and Oceanography*, 2, 340–353.

Mahoney, J. B., Midlige, F. H., & Deuel, D. G. (1973). A Fin Rot Disease of Marine and Euryhaline Fishes in the New York Bight. *Transactions of the American Fisheries Society*, 102(3), 596–605. doi:10.1577/1548-8659(1973)102<596:AFRDOM>2.0.CO;2

Meyers, T. R. (1978). Prevalence of fish parasitism in Raritan Bay, New Jersey. *Proceedings of the Helminthological Society of Washington*, 45(1), 120–128.

Meyers, T. R., Sawyer, T. K., & MacLean, S. A. (1977). Henneguya sp. (Cnidospora: Myxosporida) parasitic in the heart of the bluefish, Pomatomus saltatrix. *The Journal of Parasitology*, 63(5), 890–896.

New Jersey State Department of Health. (1988). *A study of the relationship between illness in swimmers and ocean beach water quality: progress report*. Trenton, N.J.: State Department of Health, Division of Occupational and Environmental Health, Environmental Health Service.

Qian, H., Liu, Q., Allam, B., & Collier, J. L. (2007). Molecular genetic variation within and among isolates of QPX (Thraustochytridae), a parasite of the hard clam Mercenaria mercenaria. *Diseases of Aquatic Organisms*, 77(2), 159–168. doi:10.3354/dao01846

Sawyer, T. K., Nerad, T. A., Lewis, E. J., & McLaughlin, S. M. (1993). Acanthamoeba stevensoni N. Sp. (Protozoa: Amoebida) from Sewage-Contaminated Shellfish Beds in Raritan Bay, New York. *Journal of Eukaryotic Microbiology*, 40(6), 742–746. doi:10.1111/j.1550-7408.1993.tb04469.x

Sindermann, C. J. & Northeast Fisheries Center (U.S.). (Eds.). (1989). *Shell disease of crustaceans in the New York Bight*. Woods Hole, Mass.: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Center.

Straub, P. F., Higham, M. L., Tanguy, A., Landau, B. J., Phoel, W. C., Hales, L. S., & Thwing, T. K. M. (2004). Suppression subtractive hybridization cDNA libraries to identify differentially expressed genes from contrasting fish habitats. *Marine Biotechnology (New York, N.Y.)*, 6(4), 386–399. doi:10.1007/s10126-004-3146-6

Weis, P., Weis, J. S., & Greenberg, A. (1989). Treated municipal wastewaters: Effects on development and growth of fishes. *Marine Environmental Research*, 28(1–4), 527–532. doi:10.1016/0141-1136(89)90296-1

Plankton

Fan, C.-W. (2002). *Bioaccumulation and air-water exchange of the PAH phenanthrene in phytoplankton and Raritan Bay, New Jersey* (Doctoral dissertation). Rutgers University, New Brunswick.

Jeffries, H. P. (1959). *The plankton biology of Raritan Bay* (Doctoral dissertation). Rutgers University, New Brunswick.

Jeffries, H. P. (1962a). Copepod Indicator Species in Estuaries. *Ecology*, 43(4), 730–733. doi:10.2307/1933465

Jeffries, H. P. (1962c). Salinity-Space Distribution of the Estuarine Copepod Genus *Eurytemora*. *Internationale Revue Der Gesamten Hydrobiologie Und Hydrographie*, 47(2), 291–300. doi:10.1002/iroh.19620470205

Jeffries, H. P. (1962d). Succession of two *Acartia* species in estuaries. *Limnology and Oceanography*, 7(3), 354–362. doi:10.4319/lo.1962.7.3.0354

McCarthy, A. J. (1965). Ecological study of the phytoplankton of Raritan Bay (Doctoral dissertation). Fordham University, New York.

Patten, B. C. (1961). Plankton energetics of Raritan Bay. *Limnology and Oceanography*, 6(4), 369–387. doi:10.4319/lo.1961.6.4.0369

Patten, B. C. (1962). *Species diversity in net phytoplankton of Raritan Bay*. New Haven: Yale University Press.

Patten, B. C. (1969). *The diversity of species in net phytoplankton of the Raritan estuary*. Rutgers University, New Brunswick. [Dissertation]

Pollutants

- Adams, D., & O'Connor, J. (1995). *Comprehensive sediment quality of the NY/NJ harbor estuary*. Society of Environmental Toxicology and Chemistry, Pensacola, FL (United States). Retrieved from <http://www.osti.gov/scitech/biblio/203585>.
- American Littoral Society, New Jersey Marine Sciences Consortium, Sandy Hook Laboratory, & Walford Memorial Convocation. (1984). *Raritan Bay, its multiple uses and abuses: proceedings of the Walford Memorial Convocation*. (A. L. Pacheco, Ed.). Sandy Hook, N.J: Sandy Hook Laboratory.
- Arslan, Z. (2005). Analysis of fish otoliths by electrothermal vaporization inductively coupled plasma mass spectrometry: aspects of precipitating otolith calcium with hydrofluoric acid for trace element determination. *Talanta*, 65(5), 1326–1334. doi:10.1016/j.talanta.2004.09.009
- Ashley, J. T. F., Horwitz, R., Steinbacher, J. C., & Ruppel, B. (2003). A comparison of congeneric PCB patterns in American eels and striped bass from the Hudson and Delaware River estuaries. *Marine Pollution Bulletin*, 46(10), 1294–1308. doi:10.1016/S0025-326X(03)00235-2
- Ayres, R. U., & Rod, S. R. (1986). Patterns of Pollution in the Hudson-Raritan Basin. *Environment: Science and Policy for Sustainable Development*, 28(4), 14–43.
<http://doi.org/10.1080/00139157.1986.9929903>
- Belton, T. J. (1985). *A study of dioxin (2,3,7,8-tetrachlorodibenzo-p-dioxin) contamination in select finfish, crustaceans and sediments of New Jersey waterways*. Office of Science and Research, New Jersey Dept. of Environment Protection.
- Belton, T., Roundy, R., & Weinstein, N. (1986). Urban Fishermen: Managing the Risks of Toxic Exposure. *Environment: Science and Policy for Sustainable Development*, 28(9), 19–37.
- Belton, T. J., Ruppel, B. E., & Lockwood, K. (1982). *PCB's (Aroclor 1254) in fish tissues throughout the state of New Jersey: a comprehensive survey*. Trenton, N.J.: New Jersey Dept. of Environmental Protection, Office of Cancer and Toxic Substances Research.
- Belton, T. J., Ruppel, B. E., Lockwood, K., & Mueller, R. T. (1988). *2, 3, 7, 8-tetrachlorodibenzo-p-dioxin (TCDD) and 2, 3, 7, 8-tetrachlorodibenzo-p-furan (TCDF) in Blue Crabs and American Lobsters from the New York Bight*. Office of Science and Research, New Jersey Department of Environment Protection. Retrieved from <https://rucore.libraries.rutgers.edu/rutgers-lib/17430/>
- Belton, T. J., Ruppel, B. E., Lockwood, K., & Boriek, M. (1983). *PCBs in selected finfish caught within New Jersey waters, 1981-1982: with limited chlordane data*. Trenton, N.J.: Office of Science and Research, NJ Dept. of Environmental Protection.
- Boehme, S. E., Panero, M. A., New York Academy of Sciences., & New York/New Jersey Harbor Consortium. (2003). *Pollution prevention and management strategies for cadmium in the New York/New Jersey Harbor*. New York, N.Y.: New York Academy of Sciences.

- Bonin, J. L., & Wilson, T. P. (2006). *Organic compounds, trace elements, suspended sediment, and field characteristics at the heads-of-tide of the Raritan, Passaic, Hackensack, Rahway, and Elizabeth Rivers, New Jersey, 2000-03*. United States: U. S. Geological Survey : Reston, VA, United States.
- Breteler, R. J., United States., National Ocean Service., United States., National Oceanic and Atmospheric Administration., United States., & Office of Oceanography and Marine Assessment. (1984). *Chemical pollution of the Hudson-Raritan estuary*. Rockville, Md.; [Springfield, Va.]: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service ; [National Technical Information Service, distributor].
- Brown, R. P., Cooper, K. R., Cristini, A., Rappe, C., & Bergqvist, P.-A. (1994). Polychlorinated dibenzo-P-dioxins and dibenzofurans in *Mya arenaria* in the Newark/Raritan Bay Estuary. *Environmental Toxicology and Chemistry*, 13(3), 523–528. doi:10.1002/etc.5620130324
- Burger, J., & Elbin, S. (2014). Contaminant levels in Herring (*Larus argentatus*) and Great Black-backed Gull (*Larus marinus*) eggs from colonies in the New York harbor complex between 2012 and 2013. *Ecotoxicology*, 1–8. doi:10.1007/s10646-014-1393-5
- Burger, J., & Gochfeld, M. (1985). Comparisons of nine heavy metals in salt gland and liver of greater scaup (*Aythya marila*), black duck (*Anas rubripes*) and mallard (*A. platyrhynchos*). *Comparative Biochemistry and Physiology. C, Comparative Pharmacology and Toxicology*, 81(2), 287–292.
- Burger, J., & Gochfeld, M. (1991). Cadmium and lead in common terns (Aves: *Sterna hirundo*): Relationship between levels in parents and eggs. *Environmental Monitoring and Assessment*, 16(3), 253–258. doi:10.1007/BF00397612
- Burger, J., Gochfeld, M., Jeitner, C., Donio, M., & Pittfield, T. (2012). Lead (Pb) in biota and perceptions of Pb exposure at a recently designated Superfund beach site in New Jersey. *Journal of Toxicology and Environmental Health. Part A*, 75(5), 272–287. doi:10.1080/15287394.2012.652058
- Burger, J., Gochfeld, M., & Leck, C. (1984). Waterbirds on Raritan Bay: a preliminary analysis of their distribution and heavy metal levels. *Bull. New Jersey Acad. Sci*, 29, 133–142.
- Burger, J., Gochfeld, M., & Parsons, K. (1990). *Toxicant accumulation and effects on birds: The reproductive biology and effects of pollutants on estuarine and marine birds of the New York - New Jersey Harbor Estuary* (Final Report No. EPA No. CE002888-01-0). Retrieved from http://www.harborestuary.org/pdf/ToxAccumEffectsBirds_1990.pdf
- Burger, J., Johnson, B. B., Shukla, S., & Gochfeld, M. (2003). Perceptions of recreational fishing boat captains: knowledge and effects of fish consumption advisories. *Risk Analysis: An Official Publication of the Society for Risk Analysis*, 23(2), 369–378.
- Cai, Z., Ramanujam, V. M., Gross, M. L., Cristini, A., & Tucker, R. K. (1994). Levels of Polychlorodibenzo-p-dioxins and Dibenzofurans in Crab Tissues from the Newark/Raritan Bay System. *Environmental Science & Technology*, 28(8), 1528–1534. doi:10.1021/es00057a023

Cerreño, A. L. C. de., Panero, M., Boehme, S., New York Academy of Sciences., & Harbor Consortium. (2002). *Pollution prevention and management strategies for mercury in the New York/New Jersey Harbor*. New York, N.Y.: New York Academy of Sciences.

Connell, D. W. (1982). An approximate petroleum hydrocarbon budget for the Hudson Raritan estuary—New York. *Marine Pollution Bulletin*, 13(3), 89–93. doi:10.1016/0025-326X(82)90198-9

Cristini, A. (1993) *Dioxins in tissues from crabs from the Raritan/Newark Bay Systems*. NJ Department of Environmental Protection, Division of Science and Research. Retrieved from <http://dx.doi.org/doi:10.7282/T35B024Q>

Demuth, S., Casillas, E., Wolfe, D. A., & McCain, B. B. (1993). Toxicity of saline and organic solvent extracts of sediments from Boston Harbor, Massachusetts and the Hudson River-Raritan Bay estuary, New York using the Microtox® bioassay. *Archives of Environmental Contamination and Toxicology*, 25(3), 377–386. doi:10.1007/BF00210730

Dimou, K. N., Su, T.-L., Hires, R. I., & Miskewitz, R. (2006). Distribution of polychlorinated biphenyls in the Newark Bay Estuary. *Journal of Hazardous Materials*, 136(1), 103–110. doi:10.1016/j.jhazmat.2005.11.019

Engel, D. W., Brouwer, M., & Mercaldo-Allen, R. (2001). Effects of molting and environmental factors on trace metal body-burdens and hemocyanin concentrations in the American lobster, *Homarus americanus*. *Marine Environmental Research*, 52(3), 257–269. doi:10.1016/S0141-1136(01)00098-8

Fan, C.-W. (2002). *Bioaccumulation and air-water exchange of the PAH phenanthrene in phytoplankton and Raritan Bay, New Jersey* (Doctoral dissertation). Rutgers University, New Brunswick.

Farley, C. A. (1988). Histochemistry as a tool for examining possible pathologic cause-and-effect relationships between heavy metal and inflammatory lesions in oysters, *Crassostrea virginica*. *Marine Environmental Research*, 24(1–4), 271–275. doi:10.1016/0141-1136(88)90319-4

Fitzgerald, A. M. (2013). *Examining the relationship between metal exposure (Cd and Hg) and physiology of juvenile Crassostrea virginica: Comparisons of in-situ studies within the Hudson-Raritan Estuary and laboratory exposures : Final Report to the Hudson River Foundation*. Retrieved from http://www.hudsonriver.org/lis/reports/Mass_GF02_11_final_report.pdf

Gao, Y., Nelson, E. D., Field, M. P., Ding, Q., Li, H., Sherrell, R. M., Eisenreich, S. J. (2002). Characterization of atmospheric trace elements on PM2.5 particulate matter over the New York–New Jersey harbor estuary. *Atmospheric Environment*, 36(6), 1077–1086. doi:10.1016/S1352-2310(01)00381-8

Gigliotti, C. L., Brunciak, P. A., Dachs, J., Glenn, T. R., Nelson, E. D., Totten, L. A., & Eisenreich, S. J. (2002). Air-water exchange of polycyclic aromatic hydrocarbons in the New York-New Jersey, USA, Harbor Estuary. *Environmental Toxicology and Chemistry / SETAC*, 21(2), 235–244.

Gochfeld, M., & Burger, J. (1982). Biological Concentration of Cadmium in Estuarine Birds of the New York Bight. *Colonial Waterbirds*, 5, 116–123. doi:10.2307/1521042

Gochfeld, M., & Burger, J. (1987). Heavy metal concentrations in the liver of three duck species: influence of species and sex. *Environmental Pollution (Barking, Essex: 1987)*, 45(1), 1–15.

Gottholm, B. W., Harmon, M. R. ; & Turgeon, D. D. (1993). *Assessment of chemical contaminants in the Hudson-Raritan Estuary and coastal New Jersey area*. National Ocean Service, Office of Ocean Resources Conservation and Assessment.

Great Lakes Environmental Center (GLEC). (1996). *Summary of the phase I metals sampling and analysis program for the New Jersey Component of the NY-NJ Harbor & Estuary Program / prepared for The New Jersey Harbor Dischargers Group*.

Greig, R. A., & McGrath, R. A. (1977). Trace metals in sediments of Raritan bay. *Marine Pollution Bulletin*, 8(8), 188–192. doi:10.1016/0025-326X(77)90306-X

HDR/HydroQual, Inc. (2011). *TMDLs for PCBs, Dioxins/Furans, DDT and Metabolites, and Chlordane in the HEP Waters of the NY/NJ Harbor Estuary, Technical Support Document*. Prepared by HDR/HydroQual, Inc. under contract agreement with New England Interstate Water Pollution Control Commission (Technical Support Document No. 0274-001, 2010-051). Retrieved from http://www.harborestuary.org/reports/toxics/FinalTMDLs_PCBs_Dioxin_DDT_ChlordaneReport_111412.pdf

HydroQual, Inc. (2007a). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Appendices*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/Appendices.pdf

HydroQual, Inc. (2007b). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Contaminant Fate & Transport & Bioaccumulation Sub-models*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/CFTB.pdf

HydroQual, Inc. (2007c). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Hydrodynamic Sub-model*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/Hydrodynamics.pdf

HydroQual, Inc. (2007d). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Sediment Transport/Organic Carbon Production Sub-model*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of

New York and New Jersey. Retrieved from
http://www.carpweb.org/modeling/Modeling_Reports/SED_TRANSPORT.pdf

Jeffries, H. P. (1962b). Environmental characteristics of Raritan Bay, a polluted estuary. *Limnology and Oceanography*, 7(1), 21–31. doi:10.4319/lo.1962.7.1.0021

Johnson, L. L., Stehr, C. M., Olson, O. P., Myers, M. S., Pierce, S. M., Wigren, C. A., Varanasi, U. (1993). Chemical contaminants and hepatic lesions in winter flounder (*Pleuronectes americanus*) from the northeast coast of the United States. *Environmental Science & Technology*, 27(13), 2759–2771. doi:10.1021/es00049a015

Kelly, R., Phillips, C. (1988). *New Jersey floatables study: drifter study results*. Trenton, N.J.: New Jersey Dept. of Environmental Protection. Division of Water Resources.

Kennish, M. J., Belton, T. J., Hauge, P., Lockwood, K., & Ruppel, B. E. (1992). Polychlorinated-biphenyls in estuarine and coastal marine waters of New Jersey: A review of contamination problems. *Reviews in Aquatic Sciences*, 6(3-4), 275–293.

Kennish, M. J., & Ruppel, B. E. (1996). DDT contamination in selected estuarine and coastal marine finfish and shellfish of New Jersey. *Archives of Environmental Contamination and Toxicology*, 31(2), 256–262.

Kimbrough, K. L., Commey, S., Apeti, D. A., & Lauenstein, G. G. (2010). Chemical contamination assessment of the Hudson-Raritan Estuary as a result of the attacks on the World Trade Center: analysis of trace elements. *Marine Pollution Bulletin*, 60(12), 2289–2296. doi:10.1016/j.marpolbul.2010.07.009

Koops, C. B., & Thomas, J. P. (1979). C15+ hydrocarbons in the sediments of the New York bight. *International Oil Spill Conference Proceedings*, 1979(1), 625–628. doi:10.7901/2169-3358-1979-1-625

Lauenstein, G. G., & Kimbrough, K. L. (2007). Chemical contamination of the Hudson-Raritan Estuary as a result of the attack on the World Trade Center: analysis of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in mussels and sediment. *Marine Pollution Bulletin*, 54(3), 284–294. doi:10.1016/j.marpolbul.2006.10.006

LeBlanc, L. A. (1999). *Factors limiting PAH degradation in radiolabeled and field-aged sediments from Long Island Sound and the New York Harbor/Raritan Bay Estuary Complex : final report*. Hudson River Foundation. Retrieved from
http://www.hudsonriver.org/lis/reports/LeBlanc_GF03_97_final_report.pdf

Lohmann, R., Nelson, E., Eisenreich, S. J., & Jones, K. C. (2000). Evidence for Dynamic Air-Water Exchange of PCDD/Fs: A Study in the Raritan Bay/Hudson River Estuary. *Environmental Science & Technology*, 34(15), 3086–3093. doi:10.1021/es990934r

Long, E. R., Robertson, A., Wolfe, D. A., Hameedi, J., & Sloane, G. M. (1996). Estimates of the Spatial Extent of Sediment Toxicity in Major U.S. Estuaries. *Environmental Science & Technology*, 30(12), 3585–3592. doi:10.1021/es9602758

- May, H., & Burger, J. (1996). Fishing in a polluted estuary: fishing behavior, fish consumption, and potential risk. *Risk Analysis: An Official Publication of the Society for Risk Analysis*, 16(4), 459–471.
- McArdle, M. E. (1998). *Estrogenic potential of organic contaminants in New York Harbor : A final report of the Tibor T. Polgar Fellowship Program*. Hudson River Foundation. Retrieved from <http://www.hudsonriver.org/lis/reports/Polgar McArdle TP 01 98 final.pdf>
- McElroy, A., & Elskus, A. (2001). *Compound class specific evaluation of hydrophobic organic contaminants from sediment in the Hudson-Raritan Estuary : final report*. Hudson River Foundation.
- Meador, J. P., Adams, N. G., Casillas, E., & Bolton, J. L. (1997). Comparative bioaccumulation of chlorinated hydrocarbons from sediment by two infaunal invertebrates. *Archives of Environmental Contamination and Toxicology*, 33(4), 388–400.
- Morrissey, J. A., Bleackley, D. S., Warner, N. A., & Wong, C. S. (2007). Enantiomer fractions of polychlorinated biphenyls in three selected Standard Reference Materials. *Chemosphere*, 66(2), 326–331. doi:10.1016/j.chemosphere.2006.04.085
- Moser, F. C. (1990). *Toxic levels in water, sediment, and biota, and their effects in the Hudson-Raritan Estuary, Long Island Sound and the New York Bight*. Trenton, N.J.: Division of Science and Research, New Jersey Dept. of Environmental Protection.
- Mueller, J. H., Gerrish, T. A., Casey, M. C. (1982). *Contaminant inputs to the Hudson-Raritan Estuary*. NOAA Technical Memorandum OMPA-21. Boulder, CO: United States Dept. of Commerce, National Oceanic and Atmospheric Administration, Office of Marine Pollution Assessment.
- Muñoz, G. R., Panero, M. A. (2006). *Pollution prevention and management strategies for Dioxins in the New York/New Jersey Harbor*. New York, N.Y.: New York Academy of Sciences.
- National Oceanic and Atmospheric Administration. (1995). *Magnitude and extent of sediment toxicity in Hudson-Raritan estuary*. (E. R. Long, Ed.). (NOAA Technical Memorandum NOS ORCA 88). Silver Spring, MD: NOAA, National Ocean Service, Office of Ocean Resources Conservation Assessment, Coastal Monitoring & Bioeffects Assessment Division.
- O'Connor, T. P., & Ehler, C. N. (1991). Results from the NOAA National Status and Trends Program on distribution and effects of chemical contamination in the coastal and estuarine United States. *Environmental Monitoring and Assessment*, 17(1), 33–49.
- Ofiara, D. D., & Brown, B. (1999). Assessment of Economic Losses to Recreational Activities from 1988 Marine Pollution Events and Assessment of Economic Losses from Long-Term Contamination of Fish within the New York Bight to New Jersey. *Marine Pollution Bulletin*, 38(11), 990–1004. doi:10.1016/S0025-326X(99)00123-X
- Olsen, C. R., Larsen I. L., Brewster, R. H., Cutshall, N. H., Bopp, R. F., Simpson, H. J. (1984). *A Geochemical assessment of sedimentation and contaminant distributions in the Hudson-Raritan estuary*.

Environmental Sciences Division, Oak Ridge National Laboratory. Rockville, Md.: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration. NOAA technical report NOS OMS 2.

Olsen, C. R., & Parker, C. A. (1985). Sedimentation and contaminant distributions in the Hudson-Raritan Estuary. *Coastal Ocean Pollution Assessment News*, 3(3), 34–36.

Pancirov, R. J., & Brown, R. A. (1977). Polynuclear aromatic hydrocarbons in marine tissues. *Environmental Science & Technology*, 11(10), 989–992. doi:10.1021/es60133a004

Panero, M., Boehme, S., Muñoz, G., New York Academy of Sciences, & Harbor Consortium. (2005). *Pollution prevention and management strategies for polychlorinated biphenyls in the New York/New Jersey harbor*. New York, N.Y.: New York Academy of Sciences.

Perry, E. A., Bopp, R., Keane, D., & Abrajano, T. A., Jr. (2002). History of polycyclic aromatic hydrocarbon (PAH) deposition in the New York Harbor. *Abstracts with Programs - Geological Society of America*, 34(1), 64–64.

Poster, D. L., Schantz, M. M., Kucklick, J. R., Lopez de Alda, M. J., Porter, B. J., Pugh, R., & Wise, S. A. (2004). Three new mussel tissue standard reference materials (SRMs) for the determination of organic contaminants. *Analytical and Bioanalytical Chemistry*, 378(5), 1213–1231. doi:10.1007/s00216-003-2401-4

Prince, R., & Cooper, K. R. (1995). Comparisons of the effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on chemically impacted and nonimpacted subpopulations of Fundulus heteroclitus: I. TCDD toxicity. *Environmental Toxicology and Chemistry*, 14(4), 579–587. doi:10.1002/etc.5620140405

Rappe, C., Bergqvist, P.-A., Kjeller, L.-O., Swanson, S., Belton, T., Ruppel, B., ... Kahn, P. C. (1991). Levels and patterns of PCDD and PCDF contamination in fish, crabs, and lobsters from Newark Bay and the New York Bight. *Chemosphere*, 22(3–4), 239–266. [http://doi.org/10.1016/0045-6535\(91\)90314-4](http://doi.org/10.1016/0045-6535(91)90314-4)

Ravit, B., Comi, M., Mans, D., Lynn, C., Steimle, F., Walsh, S., ... Quierolo, S. (2012). Eastern Oysters (*Crassostrea virginica*) in the Hudson-Raritan Estuary: Restoration Research and Shellfishery Policy. *Environmental Practice*, 14(02), 110–129. <http://doi.org/10.1017/S1466046612000063>

Rod, S. R. (1986). Historical reconstruction of pollutant loadings in river basins. In *Proceedings of the Seventeenth Annual Pittsburgh Conference, held April 24-25, 1986, University of Pittsburgh* (Vol. 17, pp. 165–170). Research Triangle Park, N.C. : Instrument Society of America. Retrieved from http://www.hudsonriver.org/ls/reports/Rod_001_86A_peer1.pdf

Rod, S. R., Ayres, R. U., & Small, M. (1989). *Reconstruction of historical loadings of heavy metals and chlorinated hydrocarbon pesticides in the Hudson-Raritan Basin, 1880-1980 : Final report to the Hudson River Foundation*. Retrieved from http://www.hudsonriver.org/ls/reports/Rod_001_86A_3_final_report.pdf

Rodenburg, L. A. (2006). *Mass Balances on Selected Polycyclic Aromatic Hydrocarbons (PAHs) in the NY/NJ Harbor Estuary*. Prepared for the “Industrial Ecology, Pollution Prevention and the NY/NJ

Harbor" Project of the New York Academy of Sciences. Retrieved from
<http://www.nyas.org/asset.axd?id=9402584c-e704-4190-8c74-db34ad417816>

Ropes, J. (1987). Age and Growth, Reproductive-Cycle, and Histochemical Tests for Heavy-Metals in Hard Clams, *Mercenaria-Mercenaria*, from Raritan Bay, 1974-75. *Fishery Bulletin*, 85(3), 653–662.

Searl, T. D., Huffman, H. L., & Thomas, J. P. (1977). Extractable organics and nonvolatile hydrocarbons in New York harbor waters. *International Oil Spill Conference Proceedings*, 1977(1), 583–588.
doi:10.7901/2169-3358-1977-1-583

Seeliger, U., & Edwards, P. (1977). Correlation coefficients and concentration factors of copper and lead in seawater and benthic algae. *Marine Pollution Bulletin*, 8(1), 16–19. doi:10.1016/0025-326X(77)90398-8

Sericano, J. L., Wade, T. L., Sweet, S. T., Ramirez, J., & Lauenstein, G. G. (2014). Temporal trends and spatial distribution of DDT in bivalves from the coastal marine environments of the continental United States, 1986-2009. *Marine Pollution Bulletin*, 81(2), 303–316.
doi:10.1016/j.marpolbul.2013.12.049

Stainken, D., & Frank, U. (1979). Analysis of Raritan Bay bottom waters for polynuclear aromatic hydrocarbons. *Bulletin of Environmental Contamination and Toxicology*, 22(4-5), 480–487.

Stainken, D., & Rollwagen, J. (1979). PCB residues in bivalves and sediments of Raritan Bay. *Bulletin of Environmental Contamination and Toxicology*, 23(4-5), 690–697.

Stainken, D. M. (1984). Organic pollution and the macrobenthos of Raritan Bay. *Environmental Toxicology and Chemistry*, 3(1), 95–111. doi:10.1002/etc.5620030112

Stainken, D. M., Gray Multer, H., & Mirecki, J. (1983). Seasonal patterns of sedimentary hydrocarbons in the Raritan Bay-lower New York Bay. *Environmental Toxicology and Chemistry*, 2(1), 35–42.
doi:10.1002/etc.5620020104

Stainken, M. S., McCormick, J. M., Multer, H. G. (1981). *Extractable hydrocarbons and textural analysis of sediments from Raritan Bay & adjoining river mouths: final comprehensive report*. Madison, N.J: Dept. of Earth Sciences, Fairleigh Dickinson University.

Swanson, R. L., Bell, T. M., Kahn, J., & Olha, J. (1991). Use Impairments and Ecosystem Impacts of the New York Bight. *Chemistry and Ecology*, 5(1-2), 99–127. doi:10.1080/02757549108035247

Thursby, G. B., Stern, E. A., Scott, K. J., & Heltshe, J. (2000). Survey of toxicity in ambient waters of the Hudson/Raritan Estuary, USA: Importance of small-scale variations. *Environmental Toxicology and Chemistry*, 19(11), 2678–2682. doi:10.1002/etc.5620191110

Totten, L. A., Brunciak, P. A., Gigliotti, C. L., Dachs, J., Glenn, T. R., Nelson, E. D., & Eisenreich, S. J. (2001). Dynamic air-water exchange of polychlorinated biphenyls in the New York-New Jersey Harbor Estuary. *Environmental Science & Technology*, 35(19), 3834–3840.

- U.S. Department of the Interior. (1967). *Conference, pollution of Raritan Bay and adjacent interstate waters, third session, New York, N.Y., June 13-14, 1967: proceedings*. Washington: Federal Water Pollution Control Administration, U.S. Department of the Interior.
- U.S. Environmental Protection Agency. (1994). *Total Maximum Daily Loads (TMDLs) for copper, mercury, nickel and lead in NY-NJ Harbor* (Final Report). Retrieved from http://www.harborestuary.org/reports/toxics/NY-NJ-1994-Copper_etal-NY-NJ_Harbor.pdf
- Valle, S., Panero, M. A., Shor, L. (2007). *Pollution prevention and management strategies for polycyclic aromatic hydrocarbons in the New York/New Jersey Harbor*. New York, N.Y.: New York Academy of Sciences.
- Van Ry, D. A., Dachs, J., Gigliotti, C. L., Brunciak, P. A., Nelson, E. D., & Eisenreich, S. J. (2000). Atmospheric Seasonal Trends and Environmental Fate of Alkylphenols in the Lower Hudson River Estuary. *Environmental Science & Technology*, 34(12), 2410–2417. doi:10.1021/es9910715
- Wakeman, T. (2002). Dredged material and contaminated sediments management in the Port of New York and New Jersey (pp. 221–228). United States: Battelle Press : Columbus, OH, United States.
- Waldhauer, R., Matte, A., & Tucker, R. E. (1978). Lead and copper in the waters of Raritan and Lower New York Bays. *Marine Pollution Bulletin*, 9(2), 38–42. doi:10.1016/0025-326X(78)90530-1
- Weinstein, M. P., Kosko, K., Young, L. S., Belton, T. J. (Eds.). (2000). *Significance of atmospheric pollutant loading to the New York-New Jersey Harbor estuary and watershed: proceedings, 13 April, 2000*. Fort Hancock, N.J.: New Jersey Marine Sciences Consortium.
- Wilson, T. P., & Bonin, J. L. (2007). *Concentrations and loads of organic compounds and trace elements in tributaries to Newark and Raritan Bays, New Jersey*. (Scientific Investigations Report 2007-5059). Reston, VA: U.S. Geological Survey.
- Wolfe, D. A., Long, E. R., & Thursby, G. B. (1996). Sediment toxicity in the Hudson-Raritan estuary: Distribution and correlations with chemical contamination. *Estuaries*, 19(4), 901–912. doi:10.2307/1352306
- Woodhead, P. M. J. (1991). *Inventory and assessment of habitat and fish resources and assessment of information on toxic effects in the New York-New Jersey Harbor estuary: a report to the New York-New Jersey Harbor Estuary Program concerning work in Tasks 3.2, 5.1 and 5.3*. Stony Brook: Marine Sciences Research Center, State University of New York.
- Yan, B., Abrajano, T. A., Bopp, R. F., Benedict, L. A., Chaky, D. A., Perry, E., ... Keane, D. P. (2006). Combined application of delta (¹³C) and molecular ratios in sediment cores for PAH source apportionment in the New York/New Jersey harbor complex. *Organic Geochemistry*, 37(6), 674–687. doi:10.1016/j.orggeochem.2006.01.013

Yan, B., Benedict, L. A., Chaky, D. A., Bopp, R. F., & Abrajano, T. A. (2004). Levels and patterns of PAH distribution in sediments in the New York/New Jersey Harbor complex. *Northeastern Geology and Environmental Sciences*, 26(1-2), 113–122.

Zdanowicz, V., Gadbois, D., & Newman, M. (1986). Levels of Organic and Inorganic Contaminants in Sediments and Fish Tissues and Prevalences of Pathological Disorders in Winter Flounder from Estuaries of the Northeast United States, 1984. In *OCEANS '86* (pp. 578–585). doi:10.1109/OCEANS.1986.1160445

Recreation/Use

American Littoral Society, New Jersey Marine Sciences Consortium, Sandy Hook Laboratory, & Walford Memorial Convocation. (1984). *Raritan Bay, its multiple uses and abuses: proceedings of the Walford Memorial Convocation*. (A. L. Pacheco, Ed.). Sandy Hook, N.J: Sandy Hook Laboratory.

Brosius, J. E., & Lev, R. D. (1983). Cliffwood Beach Fossil Preserve Excavation and Analysis. New Brunswick, NJ: Center for Coastal and Environmental Studies, Rutgers University. Retrieved from <https://rucore.libraries.rutgers.edu/rutgers-lib/31971/>

Goldberg, R., Studholme, A., Calabrese, A., & Able, K. (1993). Functional Significance of Estuaries in the Northeast: A Proposed Case Study Comparing Habitat Utilization and Quality. *COASTAL ZONE '93. Proceedings, 8th Symposium on Coastal and Ocean Management*, New Orleans, Louisiana. Retrieved from <http://dx.doi.org/doi:10.7282/T37080XD>

Kehr, R. W. (1954). *A report on the public health aspects of clamping in Raritan Bay*. Washington, D.C.: Division of Sanitary Engineering Services, Public Health Service, Department of Health, Education, and Welfare.

MacKenzie, C. L. (1992). *The fisheries of Raritan Bay*. New Brunswick, N.J: Rutgers University Press.

MacKenzie, J. (1990). History of the Fisheries of Raritan Bay, New York and New Jersey. *Marine Fisheries Review*, 52(4), 1–45.

MacKenzie Jr, C. L. (1997). The US molluscan fisheries from Massachusetts Bay through Raritan Bay, NY and NJ. In C.L. MacKenzie, Jr., V. G. Burrell, Jr., A. R. Rosenfield, W. L. Hobart (Eds.), *The History, Present Condition, and Future of the Molluscan Fisheries of North and Central America and Europe*, 1, 87–118. NOAA Technical Report NMFS 127

May, H., & Burger, J. (1996). Fishing in a polluted estuary: fishing behavior, fish consumption, and potential risk. *Risk Analysis: An Official Publication of the Society for Risk Analysis*, 16(4), 459–471.

Monmouth County Planning Board, & Trust for Public Land (U.S.). (1987). Bayshore waterfront access plan: an element of the Monmouth County growth management guide. Freehold, N.J.: Monmouth County Planning Board. Retrieved from <http://www.co.monmouth.nj.us/documents/24%5CBayshoreWaterfrontAccessPlan.pdf>

Monmouth Museum (Lincroft, N.J.). (1989). *Bayshore, rediscovering its future*. Lincroft, NJ: The Museum.

Ofiara, D. D. (2015). The New York Bight 25 years later: Use impairments and policy challenges. *Marine Pollution Bulletin*, 90(1–2), 281–298. doi:10.1016/j.marpolbul.2014.10.010

Ofiara, D. D., & Brown, B. (1999). Assessment of Economic Losses to Recreational Activities from 1988 Marine Pollution Events and Assessment of Economic Losses from Long-Term Contamination of Fish within the New York Bight to New Jersey. *Marine Pollution Bulletin*, 38(11), 990–1004. doi:10.1016/S0025-326X(99)00123-X

Swanson, R. L., Bell, T. M., Kahn, J., & Olha, J. (1991). Use Impairments and Ecosystem Impacts of the New York Bight. *Chemistry and Ecology*, 5(1-2), 99–127. doi:10.1080/02757549108035247

Sediment/Sedimentology

Adams, D., & O'Connor, J. (1995). *Comprehensive sediment quality of the NY/NJ harbor estuary*. Society of Environmental Toxicology and Chemistry, Pensacola, FL (United States). Retrieved from <http://www.osti.gov/scitech/biblio/203585>.

Belton, T. J. (1985). *A study of dioxin (2,3,7,8-tetrachlorodibenzo-p-dioxin) contamination in select finfish, crustaceans and sediments of New Jersey waterways*. Office of Science and Research, New Jersey Dept. of Environment Protection.

Bruno, A. C., Cohen, L., Green, M., Torres, L., Rocha, G., & Chamberlain, J. A. (2005). Sedimentology and faunal characteristics of Raritan Bay beaches. *Abstracts with Programs - Geological Society of America*, 37(1), 13–14.

Bruno, M. S., Glenn, S., Chant, R., Rankin, K., Korfiatis, G., Dimou, N., ... Hunter, E. (2002). Field observations of hydrodynamics, sediment transport, and water and sediment quality in the Hudson-Raritan Estuary. *Eos, Transactions, American Geophysical Union*, 83(47, Suppl.), F781–F781.

Coch, N. K. (1987). Sediment facies and dispersal patterns in the upper and lower bays of New York Harbor (pp. 1893–1908). United States: Am. Soc. Civ. Eng. : New York, NY, United States.

Demuth, S., Casillas, E., Wolfe, D. A., & McCain, B. B. (1993). Toxicity of saline and organic solvent extracts of sediments from Boston Harbor, Massachusetts and the Hudson River-Raritan Bay estuary, New York using the Microtox® bioassay. *Archives of Environmental Contamination and Toxicology*, 25(3), 377–386. doi:10.1007/BF00210730

Drake, D. E. (1977). Suspended particulate matter in the New York Bight apex, fall 1973. *Journal of Sedimentary Petrology*, 47(1), 209–228. doi:10.1306/212F7130-2B24-11D7-8648000102C1865D

Greig, R. A., & McGrath, R. A. (1977). Trace metals in sediments of Raritan bay. *Marine Pollution Bulletin*, 8(8), 188–192. doi:10.1016/0025-326X(77)90306-X

Goss, M. C., Ashley, G. M., & Sheridan, R. E. (1995). Sedimentology and stratigraphy of a first generation estuary at the last glacial limit, Raritan Bay, New Jersey. *Abstracts with Programs - Geological Society of America*, 27(1), 49–49.

Holliday, S. E. (1993). *Surficial sediments in Mid-Atlantic estuaries*. Silver Spring, MD: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service. Retrieved from <http://catalog.hathitrust.org/Record/007230088>

HydroQual, Inc. (2007d). *Contamination Assessment and Reduction Project (CARP): A Model for the Evaluation and Management of Contaminants of Concern in Water, Sediment, and Biota in the NY/NJ Harbor Estuary: Sediment Transport/Organic Carbon Production Sub-model*. Prepared for Hudson River Foundation for Science and Environmental Research, Inc., The Port Authority of New York and New Jersey. Retrieved from http://www.carpweb.org/modeling/Modeling_Reports/SED_TRANSPORT.pdf

Klein, E. A., & McHugh, C. (2009). Late Pleistocene to Holocene sedimentation of a coastal system; Raritan and Sandy Hook Bays, New Jersey. *Abstracts with Programs - Geological Society of America*, 41(3), 40–40.

Komada, T., Reimers, C. E., Luther, G. W., III, & Burdige, D. J. (2004). Factors affecting dissolved organic matter dynamics in mixed-redox to anoxic coastal sediments. *Geochimica et Cosmochimica Acta*, 68(20), 4099–4111. doi:10.1016/j.gca.2004.04.005

Lauenstein, G. G., & Kimbrough, K. L. (2007). Chemical contamination of the Hudson-Raritan Estuary as a result of the attack on the World Trade Center: analysis of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in mussels and sediment. *Marine Pollution Bulletin*, 54(3), 284–294. doi:10.1016/j.marpolbul.2006.10.006

LeBlanc, L. A. (1999). *Factors limiting PAH degradation in radiolabeled and field-aged sediments from Long Island Sound and the New York Harbor/Raritan Bay Estuary Complex : final report*. Hudson River Foundation. Retrieved from http://www.hudsonriver.org/lis/reports/LeBlanc_GF03_97_final_report.pdf

Litchfield, C. D., Nakas, J. P., & Vreeland, R. H. (1976). Bacterial flux in some New Jersey estuarine sediments. *Special Symposia - American Society of Limnology and Oceanography*, 2, 340–353.

Long, E. R., Robertson, A., Wolfe, D. A., Hameedi, J., & Sloane, G. M. (1996). Estimates of the Spatial Extent of Sediment Toxicity in Major U.S. Estuaries. *Environmental Science & Technology*, 30(12), 3585–3592. doi:10.1021/es9602758

McElroy, A., & Elskus, A. (2001). *Compound class specific evaluation of hydrophobic organic contaminants from sediment in the Hudson-Raritan Estuary : final report*. Hudson River Foundation.

Meade, R. H. (1969). Landward Transport of Bottom Sediments in Estuaries of the Atlantic Coastal Plain. *Journal of Sedimentary Research*, 39(1). Retrieved from <http://archives.datapages.com/data/sepm/journals/v38-41/data/039/039001/0222.htm>

Medor, J. P., Adams, N. G., Casillas, E., & Bolton, J. L. (1997). Comparative bioaccumulation of chlorinated hydrocarbons from sediment by two infaunal invertebrates. *Archives of Environmental Contamination and Toxicology*, 33(4), 388–400.

Moser, F. C. (1990). *Toxic levels in water, sediment, and biota, and their effects in the Hudson-Raritan Estuary, Long Island Sound and the New York Bight*. Trenton, N.J: Division of Science and Research, New Jersey Dept. of Environmental Protection.

Motta, C. J. (1983). *Sedimentology and hydrology of the Raritan Estuary, New Jersey: final report*. Trenton, N.J: Office of Cancer and Toxic Substances Research, Dept. of Environmental Protection.

Multer, H. G., Stainken, D. M., McCormick, J. M., & Berger, K. J. (1984). Sediments in the Raritan Bay-lower New York Bay complex. *Bulletin - New Jersey Academy of Science*, 29(2), 79–96.

National Oceanic and Atmospheric Administration. (1995). *Magnitude and extent of sediment toxicity in Hudson-Raritan estuary*. (E. R. Long, Ed.). (NOAA Technical Memorandum NOS ORCA 88). Silver Spring, MD: NOAA, National Ocean Service, Office of Ocean Resources Conservation Assessment, Coastal Monitoring & Bioeffects Assessment Division.

New York/New Jersey Harbor Estuary Program. (2008). *Regional Sediment Management Plan*. Retrieved from http://www.harborestuary.org/reports/Reg_Sed_Mgmt_Plan0908.pdf

Olsen, C. R., Larsen I. L., Brewster, R. H., Cutshall, N. H., Bopp, R. F., Simpson, H. J. (1984). *A Geochemical assessment of sedimentation and contaminant distributions in the Hudson-Raritan estuary*. Environmental Sciences Division, Oak Ridge National Laboratory. Rockville, Md.: U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration. NOAA technical report NOS OMS 2.

Olsen, C. R., & Parker, C. A. (1985). Sedimentation and contaminant distributions in the Hudson-Raritan Estuary. *Coastal Ocean Pollution Assessment News*, 3(3), 34–36.

Paul, R. W. (2001). Geographical signatures of middle Atlantic estuaries; historical layers. *Estuaries*, 24(2), 151–166.

Renwick, W. H., & Ashley, G. M. (1984). Sources, storages, and sinks of fine-grained sediments in a fluvial-estuarine system. *Geological Society of America Bulletin*, 95(11), 1343–1348.
doi:10.1130/0016-7606(1984)95<1343:SSASOF>2.0.CO;2

Stainken, M. S., McCormick, J. M., Multer, H. G. (1981). *Extractable hydrocarbons and textural analysis of sediments from Raritan Bay & adjoining river mouths: final comprehensive report*. Madison, N.J.: Dept. of Earth Sciences, Fairleigh Dickinson University.

Stainken, D., & Rollwagen, J. (1979). PCB residues in bivalves and sediments of Raritan Bay. *Bulletin of Environmental Contamination and Toxicology*, 23(4-5), 690–697.

Wolfe, D. A., Long, E. R., & Thursby, G. B. (1996). Sediment toxicity in the Hudson-Raritan estuary: Distribution and correlations with chemical contamination. *Estuaries*, 19(4), 901–912.
doi:10.2307/1352306

Yan, B., Abrajano, T. A., Bopp, R. F., Benedict, L. A., Chaky, D. A., Perry, E., ... Keane, D. P. (2006). Combined application of delta (super 13) C and molecular ratios in sediment cores for PAH source apportionment in the New York/New Jersey harbor complex. *Organic Geochemistry*, 37(6), 674–687. doi:10.1016/j.orggeochem.2006.01.013

Yan, B., Benedict, L. A., Chaky, D. A., Bopp, R. F., & Abrajano, T. A. (2004). Levels and patterns of PAH distribution in sediments in the New York/New Jersey Harbor complex. *Northeastern Geology and Environmental Sciences*, 26(1-2), 113–122.

Yuan, J. (1976). *Sediments in the lower New York and Raritan bays* (Doctoral dissertation). Bethlehem, PA: Lehigh University.

Zdanowicz, V., Gadbois, D., & Newman, M. (1986). Levels of Organic and Inorganic Contaminants in Sediments and Fish Tissues and Prevalences of Pathological Disorders in Winter Flounder from Estuaries of the Northeast United States, 1984. In *OCEANS '86* (pp. 578–585).
doi:10.1109/OCEANS.1986.1160445

Submerged Aquatic Vegetation (SAV)

Mackenzie, C. L., & Stehlik, L. L. (1988). Past and present distributions of soft clams and eelgrass in Raritan Bay. *Bull. NJ Acad. Sci.*, 33(2), 6162.

Reid, R., MacKenzie, C., & Vitaliano, J. (1993). A failed attempt to re-establish eelgrass in Raritan Bay (New York/New Jersey). *NOAA/National Marine Fisheries Service. Northeast Fisheries Science Center Reference Document*, 93–27.

Water Quality

- Brezenksi, F. T., & Russomanno, R. (1969). The Detection and Use of Salmonellae in Studying Polluted Tidal Estuaries. *Journal (Water Pollution Control Federation)*, 41(5), 725–737.
- Brosnan, T. M., & O’Shea, M. L. (1996). Sewage Abatement and Coliform Bacteria Trends in the Lower Hudson-Raritan Estuary since Passage of the Clean Water Act. *Water Environment Research*, 68(1), 25–35.
- Brown, C. L., & Robert, C. (1968). Observations on Dredging and Dissolved Oxygen in a Tidal Waterway. *Water Resources Research*, 4(6), 1381–1384. doi:10.1029/WR004i006p01381
- Cole, C. A. (1968). *Water quality trends of Raritan Bay and River from 1950 to 1966: an expository essay* (Masters thesis). Rutgers University, New Brunswick.
- Connell, D. W. (1982). An approximate petroleum hydrocarbon budget for the Hudson Raritan estuary—New York. *Marine Pollution Bulletin*, 13(3), 89–93. doi:10.1016/0025-326X(82)90198-9
- Drake, D. E. (1977). Suspended particulate matter in the New York Bight apex, fall 1973. *Journal of Sedimentary Petrology*, 47(1), 209–228. doi:10.1306/212F7130-2B24-11D7-8648000102C1865D
- Driscoll, C., Whitall, D., Aber, J., Boyer, E., Castro, M., Cronan, C., ... Ollinger, S. (2003). Nitrogen pollution; sources and consequences in the U. S. Northeast. *Environment [St. Louis]*, 45(7), 8–22.
- Gons, H. J., Rijkeboer, M., Bagheri, S., & Ruddick, K. G. (2000). Optical Teledetection of Chlorophyll a in Estuarine and Coastal Waters†. *Environmental Science & Technology*, 34(24), 5189–5192. doi:10.1021/es0012669
- Hires, R. I. (1990). *Outfall siting study in northern New Jersey coastal waters*. New Jersey. Division of Water Resources. Hoboken, N.J.: Dept. of Civil, Environmental & Coastal Engineering, Stevens Institute of Technology.
- HydroQual, Inc. (2010a). *Evaluation of ammonia toxicity in the NY/NJ Harbor within the context of nitrogen and carbon TMDL planning for attainment of dissolved oxygen standards*. Prepared by HydroQual, Inc. (No. USEPA Contract EP-C-08-003). Retrieved from <http://www.harborstuary.org/reports/nutrient/HydroQual-AmmoniaToxicityReport0910.pdf>
- HydroQual, Inc. (2010b). *Narrative description of historical dissolved oxygen improvements in NY/NJ Harbor related to previous nutrient reduction activities*. Prepared by HydroQual, Inc. Retrieved from <http://www.harborstuary.org/reports/nutrient/HydroQual-DOImprovements0910.pdf>
- Jeng, T., Kashner, J., Hsueh, S-F. (1984). *Water quality demonstration: water quality management assessment due to marine CSO abatement along the New Jersey shore*. Trenton, N.J.: Dept. of Environmental Protection, Division of Water Resources.
- Kelly, R., Phillips, C. (1988). *New Jersey floatables study: drifter study results*. Trenton, N.J.: New Jersey Dept. of Environmental Protection. Division of Water Resources.

- Ketchum, B. H., & Rawn, A. M. (1951). The Flushing of Tidal Estuaries [with Discussion]. *Sewage and Industrial Wastes*, 23(2), 198–209.
- Komada, T., Reimers, C. E., Luther, G. W., III, & Burdige, D. J. (2004). Factors affecting dissolved organic matter dynamics in mixed-redox to anoxic coastal sediments. *Geochimica et Cosmochimica Acta*, 68(20), 4099–4111. doi:10.1016/j.gca.2004.04.005
- Lacombe, P. J. (2000). Water levels, saltwater intrusion, and water management in the confined aquifers of the New Jersey coastal plain. *Abstracts with Programs - Geological Society of America*, 32(1), 28–28.
- Luther, G. W., Reimers, C. E., Nuzzio, D. B., & Lovalvo, D. (1999). In Situ Deployment of Voltammetric, Potentiometric, and Amperometric Microelectrodes from a ROV To Determine Dissolved O₂, Mn, Fe, S(-2), and pH in Porewaters. *Environmental Science & Technology*, 33(23), 4352–4356. doi:10.1021/es9904991
- McDonough, K. B. (1976). *A benthic index of environmental quality for the New York Bight Apex and Raritan Bay* (Masters thesis). State University of New York at Stony Brook.
- Metcalf & Eddy. (1951). *Summary report to the Middlesex County Sewerage Authority upon abatement of water pollution in the Raritan River, its tributaries, and Raritan Bay*. New Brunswick, N.J.: Middlesex County Sewerage Authority.
- Muñoz, G. R., Panero, M. A., Powers, C. W. (2008). *Sources of suspended solids to the New York/New Jersey Harbor watershed*. New York, N.Y.: New York Academy of Sciences.
- New Jersey Harbor Dischargers Group; New York/New Jersey Harbor Estuary Program; New York (N.Y.), & Department of Environmental Protection. (2006). *Harbor-wide water quality monitoring report for the New York-New Jersey harbor estuary*. Retrieved from <http://www.harborestuary.org/reports/HarborWideSurveyReport-2011.pdf>
- New Jersey State Department of Health. (1988). *A study of the relationship between illness in swimmers and ocean beach water quality: progress report*. Trenton, N.J.: State Department of Health, Division of Occupational and Environmental Health, Environmental Health Service.
- New Jersey Department of Environmental Protection Water Assessment Team. (1999). *Initial surface water quality characterization and assessment report (based on DEP data) for Watershed Management Area 12*. Trenton, NJ: The Team.
- New York-New Jersey Harbor & Estuary Program. (2012). *The state of the estuary 2012: environmental health and trends of the New York-New Jersey harbor estuary*. Retrieved from http://www.harborestuary.org/pdf/StateOfTheEstuary2012/SOE_ExpdRprt.pdf
- Parker, J. H., Duedall, I. W., O'Connors, H. B., Jr., & Wilson, R. E. (1976). Raritan Bay as a source of ammonium and chlorophyll a for the New York Bight apex. *Special Symposia - American Society of Limnology and Oceanography*, 2, 212–219.

Paulson, A. J. (2005). Tracing water and suspended matter in Raritan and Lower New York Bays using dissolved and particulate elemental concentrations. *Marine Chemistry*, 97(1-2), 60–77. doi:10.1016/j.marchem.2005.01.007

Rutgers University, Department of Sanitation & New Jersey State Department of Health. (1951). *Report on status of pollution of the Raritan River and Bay and effect of discharging into the Bay treated mixed effluents*. New Jersey.

Steinberg, N. D., Suszkowski, D. J., Clark, L., Way, J. (2004). *Health of the harbor: the first comprehensive look at the state of the NY/NJ harbor estuary : a report to the New York/New Jersey Harbor Estuary Program*. New York, NY: Hudson River Foundation.

Steinberg, N. D., Way, J., Suszkowski, D. J., & Clark, L. (2002). *Harbor health/human health: an analysis of environmental indicators for the NY/NJ harbor estuary*. New York, NY: Hudson River Foundation for Science and Environmental Research.

Studholme, A. L., O'Reilly, J. E., Ingham, M. C. (Eds.). (1995). *Effects of the cessation of sewage sludge dumping at the 12-mile site: proceedings of the 12-Mile Dumpsite Symposium, Ocean Place Hilton Hotel, Long Branch, New Jersey 18-19 June 1991*. (NOAA Technical Report NMFS 124). U.S. Department of Commerce.

Swanson, R. L., Bell, T. M., Kahn, J., & Olha, J. (1991). Use Impairments and Ecosystem Impacts of the New York Bight. *Chemistry and Ecology*, 5(1-2), 99–127. doi:10.1080/02757549108035247

Swanson, R. L., & Zimmer, R. L. (1990). Meteorological conditions leading to the 1987 and 1988 washups of floatable wastes on New York and New Jersey beaches and comparison of these conditions with the historical record. *Estuarine, Coastal and Shelf Science*, 30(1), 59–78. doi:10.1016/0272-7714(90)90077-5

U.S. Department of the Interior. (1967). *Conference, pollution of Raritan Bay and adjacent interstate waters, third session, New York, N.Y., June 13-14, 1967: proceedings*. Washington: Federal Water Pollution Control Administration, U.S. Department of the Interior.

U.S. Environmental Protection Agency. (1994). *Total Maximum Daily Loads (TMDLs) for copper, mercury, nickel and lead in NY-NJ Harbor* (Final Report). Retrieved from http://www.harborestuary.org/reports/toxics/NY-NJ-1994-Copper_etal-NY-NJ_Harbor.pdf

Weis, P., Weis, J. S., & Greenberg, A. (1989). Treated municipal wastewaters: Effects on development and growth of fishes. *Marine Environmental Research*, 28(1–4), 527–532. doi:10.1016/0141-1136(89)90296-1

Yu, T. (2005). *Utility of remote sensing data in retrieval of water quality constituents concentrations in coastal water of New Jersey* (Doctoral dissertation). Newark, NJ: New Jersey Institute of Technology.